

NEW

### **▶** Right To Know Compliance Center

- Compliance center includes red polystyrene board, binder rack and MSDS binder (2023)
- 1.5" MSDS binder w/ 300 sheet capacity
- Center size: 20"H x 14"W x 41/2"D

Description	Catalog Number
RTK Compliance Center	2010
RTK Compliance Center w/inserts	RK018A**
RTK compliance Center w/o binder	2010NB
Spanish RTK Compliance Center	2010SP*
Spanish RTK Compliance Center w/inserts	RK018S***
Spanish RTK Compliance Center w/o Binder	102718
15 11 6 11 11 511 151 1 (600)	*1

- \*Board is Spanish with Bilingual Binder (2026)
- \*\* Same as catalog #2010 plus 1 binder training inserts (BR801B)

  \*\*\* Same as catalog #2010SP plus 1 binder training inserts (BR801B)



## ■ Two Binder Right To Know Compliance Center

- New deep racks hold two binders back-to-back for enhanced space saving
- This center includes red polystyrene board, binder rack and two MSDS binders (2023)
- Center size: 20"H x 141/2"W x 41/2"D

Description	Catalog Number
2-Binder Rtk Compliance Center	106344
2-Binder Rtk Compl. Center (w/ Inserts)	106345**
2-Binder Rtk Compl. Center (w/o Binders)	106346
2-Binder Rtk Compl. Center (Spanish)	106347*
2-Binder Rtk Center (Span, w/ Inserts)	106348***
2-Binder Rtk Center (Span, w/o Binders)	106349
**Roard is Spanish with Bilingual Binder (202)	6)

- \*\*Board is Spanish with Bilingual Binder (2026)

  \*\* Same as catalog #106344 plus 2 binder training inserts (BR801B)

  \*\*\* Same as catalog #106347 plus 2 binder training inserts (BR801B)




#### **Double Right To Know Compliance Center**

- · Double capacity MSDS compliance center
- This center includes red polystyrene board, 2 binder racks and two MSDS binders
- Center size: 20"H x 29"W x 41/2"D

Description	Catalog Number
Double RTK Compliance Center	2010DB
Spanish Double RTK Center*	2010DBSP
Double RTK Compliance Center w/Inserts**	RK208A

\*Board is Spanish with Bilingual Binder (2026)



## **▶** Economy Right To Know Center

- Includes MSDS "V" sign, 8"H x 141/2"W x 6"D
- Standard yellow binder holder (2014)
- 1.5" MSDS binder w/ 300 sheet capacity

Description	<b>Catalog Number</b>
Economy RTK Center	2007
Economy RTK Center w/o binder	102719
Economy RTK Center w/inserts*	102720
Rack & Binder Only	2005
Rack & Binder w/inserts	RK085A
MSDS "V" Sign Only	V2MS21A

\*Same as 2007 plus 1 binder training insert



PVC coated steel racks designed for holding binders up to 3" ring diameter

• Standard Binder Holder Size: 9"H x 14"W x 41/2"D

Deep Binder Holder Size: 9"H x 14"W x 6"D

Description	<b>Catalog Number</b>
Yellow Binder Holder	2014
White Binder Holder	2014W
Yellow Deep Binder Holder	104791
White Deep Binder Holder	104792

Same as catalog #2010DB plus 1 binder training inserts (BR801B)

# K

#### **▶ MSDS Information Center**

- Graphical center covers the 9 key sections found on Material Safety Data Sheets, helping employees understand and easily locate information
- Durable polystyrene backboard (22"H x 24"W) with plastic coated steel rack (9"H x 14"W x 41/2"D)
- Includes 2" striped MSDS binder (58679) and MSDS training inserts (BR801B)

Description	Catalog Number
MSDS Info Center w/binder and inserts	102711
MSDS Info Center w/o binder and inserts	102712

## **▶** Standard Right To Know Center

- This tough acrylic RTK board is a versatile and attractive unit that can hold up to 100 training booklets and our largest MSDS binder
- It will become a focal point of your compliance
- Includes our 1½" binder and 10 training booklets
- Center size: 30"H x 24"W x 4<sup>1</sup>/<sub>2</sub>"D

Description	Catalog Number
Standard Right to Know Center	2001
Board Only	2012
Bilingual version*	2002
Bilingual board only	2013

\*includes 5 English booklets, 5 Spanish booklets and a bilingual binder



Mini Right-To-Know Station, featuring a Hazardous Awareness Chart, is ideal for office and lab areas.

## **▶ Mini Right-To-Know Station**


- Size: 12" wide x 14<sup>1</sup>/<sub>4</sub>" tall x 2" deep
- Acrylic material
- Includes Hazardous Awareness Chart


Description	Catalog Number
Mini Station	58681



# Bilingual Right to Know Center (2002)







#### **▶ MSDS Metal Cabinet**

- Product is manufactured from 20 gauge steel, powder coated for protection
- Four mounting holes are provided for wall mounting (hardware not included)
- Front panel pulls down from magnetic latch to reveal a guide to Haz-Mat labels a handy permanent reference when reading MSDS
- Equipped center includes:
  - 2 21/2" MSDS Binders (2024)
  - 25 Right To Know training booklets (2101)
  - 1 Binder training insert (BR801B),
- Cabinet size: 22<sup>1</sup>/<sub>2</sub>"H x 26<sup>1</sup>/<sub>2</sub>"W x 6"D

	0.1.1.11.1
Description	Catalog Number
MSDS Metal Cabinet	RK623E





## MSDS/Job Site Safety **Document Center**

- · Perfect for construction sites
- · Holds one 3-ring binder in a very rugged, weather resistant and lockable polystyrene case.
- Table top or wall mount.
- Center size: 13<sup>1</sup>/<sub>2</sub>"H x 13<sup>1</sup>/<sub>2</sub>"W x 4<sup>3</sup>/<sub>4</sub>"D

Description	Catalog Number
MSDS/Job Site Center	JS1




#### Job Site Center

- Includes MSDS binder with fold away handles.
- Binder has 2 sets of 1" nylon rings that will hold approximately 400 pages.
- PVC coated wire rack can be mounted anywhere you need it.
- Center size: 121/2"H x 14"W x 43/4"D

Description	Catalog Number
Job Site Center	2032
Job Site Binder only	2022
Job Site Binder w/Insert*	BR828A

\*Insert is catalog #BR801B - see page below for details



Standard MSDS Binder



**Bilingual Standard MSDS Binder** 

#### Standard MSDS Binders

- Available in 3 different sizes
- 11/2" diameter rings hold 275-300 sheets, 21/2" diameter ring holds 400-500 sheets and 3" diameter ring hold 600 sheets
- These binders have a durable Polyethylene cover, 36" chain and pair of sheet lifters

Description	<b>Catalog Number</b>
Standard MSDS Binder (1½" ring)	2023
Standard MSDS Binder w/Insert*	BR823A
Bigger MSDS Binder (2½" ring)	2024
Bigger MSDS Binder w/Insert*	BR824A
Biggest MSDS Binder (3" ring)	2025
Biggest MSDS Binder w/Insert*	BR825A
Bilingual Standard MSDS Binder (1½" ring)	2026
Bilingual Bigger MSDS Binder (2½" ring)	2027
Bilingual Biggest MSDS Binder (3" ring)	2028

<sup>\*</sup>Insert is catalog #BR801B - see below for details



## MSDS Training Binder Insert

This detailed binder insert package contains:

- OSHA Haz-Com Standard highlights and overview of program requirements
- Compliance checklist
- Two 15 page RTK training booklets, Spanish/English
- Mini RTK poster focusing on key Haz-Com issues (Spanish/English)
- 50 clear sheet protectors
- A-Z index tabs
- Binders sold separately see above

Description	Catalog Number
Binder Insert	BR801B



## Striped MSDS Binder

- High quality vinyl binder neatly organizes and protects MSDSs
- Safety-striped for high visibility
- · Inside pocket holds additional information
- Spine is 2" and holds up to 400 MSDSs

Catalog Number	Description
58678	MSDS Binder
58679	MSDS User's Guide

### MSDS User's Guide


- Included with purchase of striped MSDS Binder, additional copies sold separately
- Features colorful illustrations and explanations
- Ideal for use as employee handout to help meet MSDS training requirements
- 8½" x 11" User's Guide is laminated and 3-hole punched

## **▶** Procedure Clipboard

- Made from heavy-duty red poly, these clipboards allow procedure information to be conveniently carried and posted for immediate access.
- Clipboard size: 17"H x 91/2"W

Description	Catalog Number
Security Procedure Clipboard	CB322E
Evacuation Procedure Clipboard	102841
Emergency Procedure Clipboard	CB326E









Security Procedure Clipboard Evacuation Procedure Clipboard Emergency Procedure Clipboard

#### Information Centers

- Choose from three different procedure centers
- Rugged red poly backboard comes with white PVC coated wire basket, which allows for high visibility and convenience of holding important
- Tear resistant 3-ring binder holds approximately 300 sheets and comes with a attachable chain
- Mounting hardware included
- Center size: 20"H x 14"W

Description	Catalog Number
Security Information Center	IC322E
Evacuation Information Center	102843
Emergency Information Center	IC326E



**Security Information Center** 





**Evacuation Information Center Emergency Information Center** 






## **▶** Standard Operating Procedures Center

- Choose from single or double binder capacities
- Blue poly backboard comes with white PVC coated wire basket(s)
- Allows for maximum flexibility and convenience of your important papers
- Rugged binder holds approximately 300 sheets and comes with an attached chain
- · Binders are available separately

Description	Catalog Number
Standard Operation Procedures Center	SM681A
Double Standard Operation Procedures Center	SM682A
Policies & Procedures Binder only	BR613E



OSHA INFO binder (BR806E)



Safety Documents binder (BR807E)

#### Safety Binders

- These safety binders are made from rugged polyethylene
- Includes 36" chain and pair of sheet lifters
- 11/2" diameter rings hold 275-300 sheets

Description	Catalog Number
OSHA INFO Binder	BR806E
Safety Documents binder	BR807E







## **▶** Bloodborne Pathogen **Compliance Center**

- Highly visible display also includes a 11/2" diameter 3 ring binder Holds up to 300 pages of your exposure control plans (not included)
- Ensures that employees have ready access to your exposure control plan
- Wall mount only
- Center size: 20"H x 14"W x 4<sup>1</sup>/<sub>2</sub>"D



Description	Catalog Number
Compliance Center	BH2010
Exposure Control Binder	BH2023



### Confined Space Permit Center

- OSHA requires that entry permits be completed and authorized prior to entering confined spaces
- This center provides ready access to permits while making employees aware of special safety requirements
- White acrylic unit is for wall mounting only
- · Permits not included
- Center dimensions: 153/4"H x 231/2"W

Description	Catalog Number
Confined Space Permit Center	PC1
Entry Permits (25 pkg)	EP1





## Lockout Procedure Station

- Silk-screened backboard made from durable polystyrene
- Includes pre-drilled holes and hardware for wall mounting
- 3-ring, 1.5" binder made from 55 gauge polyethylene
- Backboard dimensions: 20"H x 14"W x 4.5"D

Description
Lockout Procedure Station With Binder & 25 Forms
Lockout Procedure Station With Binder Only
Lockout Procedure Binder Only
Lockout Procedure Forms (25/pkg)



### Suggestion Box

- Very attractive black acrylic box features a lockable top and a clear side pocket to hold a pad of paper and pen (not included)
- Pocket measures 5"H x 4"W x 13/8"D
- Top drop slot is 9" wide. Show your employees you care what they think. Wall or table mount
- Box Dimensions: 12"H x 113/4"W x 43/4"D

Description	Catalog Number
Suggestion Box	MC111E



# **Safety Information Centers**

## **▶** OSHA Safety Information Center

- Fulfills 7 OSHA compliance requirements while conserving wall space.
- Available in two styles: industrial/warehouse (yellow with safety striped border) or office/retail (brown).
- Made of coated cardboard, built to withstand years of use.
- Flip-chart style display system makes it easy to update posters
- Plastic cover protects posters from damage.
- Dimensions: 26W" x 20H"

#### Centers include:

- OSHA "It's the Law" Poster
- Two pamphlet holders with General Safety and Bloodborne Exposure pamphlets (25 each)
- · Anonymous suggestion box with forms
- · Emergency phone numbers chart
- · Access to medical records notice
- · Hazardous materials guide and customizable MSDS chart
- · Customizable personal protection equipment chart
- Safety training notice and 1-year safety meeting calendar
- First-Aid Procedures for Bleeding Victims poster
- OSHA 300A Injury & Illness Reporting poster





Office/Retail Style

Description	Catalog Number
OSHA Industrial/Warehouse Information Center	106436
OSHA Commercial/Retail Information Center	106437

## OSHA Safety Information Pamphlets

- Informative pamphlets give your employees the information they need to know to stay safe and healthy.
- Use separately or in conjunction with the OSHA Information Centers shown above.
- Quantity: 25-pack

Catalog Number
106438
106439
106440
106441
106442
106443
106444
106445
106446
106447
106448
106449
106450
106451

## **OSHA Facilities Marking Manual**

- Helps you avoid OSHA fines by showing you how to comply with safety and facility identification requirements that affect your plant
- Easy to understand information and illustrations
- Strengthens employees' feelings about their j obs by visibly demonstrating your company's commitment to safety

Catalog Number 43992





#### State and Federal Labor Law Posters



Federal Labor Law Poster

#### **Federal Labor Law Poster:**

Covers employment notices mandated by U.S. Code of Federal Regulations.

#### **Federal notices included:**

- OSHA "It's The Law" poster
- Federal Equal Opportunity Civil Rights notice with Americans With Disabilities Act
- Federal Minimum Wage
- OSHA Employee Right-To-Know
- Immigration & Naturalization Service Discrimination
- Payday
- Employee Polygraph

Description	Catalog Number
Federal Labor Law Poster	106360
Federal Labor Law Poster (SP)	106361

#### Update Subscription Service

- You're worry-free compliance solution avoid fines up to
- Automatically receive updates to place over outdated panels whenever a change occurs in state or federal postings.
- · Updates sent out quarterly.
- Subscription lasts for one year from the date of purchase.

Description	Catalog Number
Update Subscription	106418

#### Labor Law Posters

Save space, time and avoid costly fines!

State and federal agencies require employers to post up to 12 specific labor-law notices informing employees of their workplace rights. Failure to comply can result in fines up to \$17,000, and may be used as evidence in employee lawsuits or worker's compensation cases!

- Includes all mandated employment notices in one convenient poster.
- Update service relieves you of the need to stay on top of changes.
- Printed on both sides for hanging vertically or horizontally.
- Laminated for protection against vandalism and environmental damage
- Includes free compliance certificate to satisfy government or legal requests to verify posting
- Spanish language versions available for federal and some state posters.
- Size (height x width): 25½" x 39½"

#### Combined State & Federal Labor Law Posters

- Covers employment notices mandated at both the state and federal level.
- Notices that may not apply to all establishments are shipped as separate panels. allowing you to customize postings accordingly.
- OSHA "It's The Law" poster replaced by state equivalent where applicable.

#### Federal notices included:

- USERRA
- IRS Notice of Withholding
- · IRS Earned Income Credit
- Employee Polygraph
- OSHA "It's the Law" (or state equivalent)
- Federal Minimum Wage
- USCIS Discrimination
- Employee "Right-To-Know"
- Family & Medical Leave Act
- Pavdav Notice
- HIPAA Security Notice (where applicable)
- · Emergency contact information chart

#### State notices included:

- Worker's Compensation
- Unemployment & Disability
- Harassment & Discrimination
- Minimum Wage
- Job Safety & Health
- Pavdav
- · Wage Order Summary
- Family Leave
- Child Labor Law
- Whistleblowers' Protection

State	Part Numbe
Alabama	106363
Alaska	106362
Arizona	106365
Arizona (SP)	106366
Arkansas	106364
California	106367
California (SP)	106368
Colorado	106369
Connecticut	106370
Delaware	106372
Florida	106373
Florida (SP)	106374
Georgia	106375
Hawaii	106376
Idaho	106378
Illinois	106379
Indiana	106380
lowa	106377
Kansas	106381
Kentucky	106382
Louisiana	106383
Maine	106386
Maryland	106385
Massachusetts	106384
Michigan	106387
Minnesota	106388
Mississippi	106390

State	Part Nu
Missouri	106389
Montana	106391
Nebraska	106394
Nevada	106398
New Hampshire	106395
New Jersey	106396
New Mexico	106397
New York	106389
North Carolina	106392
North Dakota	106393
Ohio	106400
Oklahoma	106401
Oregon	106402
Pennsylvania	106403
Rhode Island	106404
South Carolina	106405
South Dakota	106406
Tennessee	106407
Texas	106408
Texas (SP)	106409
Utah	106410
Vermont	106412
Virginia	106411
Washington	106413
Washington (SP)	106414
Wisconsin	106415
Wyoming	106417
(SP) - Spanish	





## Harassment in the Workplace Program

- · A written program is an employer's best defense in a harassment lawsuit!
- Ideal for employers of 15 or more employees subject to EEOC regulations

#### Program includes:

- Policies, grievance procedures and compliance program for investigating complaints
- · Forms for recording complaints, investigations, findings and disciplinary actions
- "Harassment is Forbidden by Law" poster (laminated, 11" x 17")
- Indexed binder for storage and reference of complete Harassment in the Workplace program

Description	Catalog Number
Harassment In The WorkPlace Program	106419
Sovual Haracement Poeter Only	106420



## **▶ FLSA FairPay Overtime Rules Compliance Kit**



- · Prevent lawsuits, reduce overtime costs and properly classify exempt employees.
- Meets requirements for all businesses with 2 or more employees in states covered by over time provisions in the Fair Labor Standards Act.

#### Program includes:

- 80-page reference guide co-written by labor law attorney
- Instructions for auditing your current overtime practices
- Complete text of FairPay regulations
- FairPay Overtime Rules poster (laminated, 11" x 17")
- Exemption checklist (25 each)
- Salary deduction policy form (25 each)
- Payroll/status change form (25 each)
- Job duties analysis form (25 each)

Description	Catalog Number
FairPay Overtime Rules Compliance Kit	106421
FairPay Overtime Rules Poster Only	106422

## Drug-Free Workplace Program

- · Eliminate lost productivity and protect the health of all employees.
- Ideal for any business

#### Program includes:

- Steps to a Drug-Free Workplace reference guide
- Supervisor training program
- Overview of applicable state laws
- Employee fact sheet (10 ea)
- Incident report (25 each)
- Acknowledgement form (25 each)
- Drug-Free Workplace poster (laminated, 11" x 17")

Description	Catalog Number
Drug Free Workplace Program	106423
Drug Free Workplace Poster Only	106424







## USERRA Military Leave Compliance Program

- Re-employment provisions and prohibitions against service-related discrimination
- For all businesses with one or more employees

#### Program includes:

- . In-depth, non-technical guide to the provisions of USERRA
- Sample employer policies
- Employer/employee compliance checklists
- Summaries of state military leave laws
- "Your Rights as a Military Service Member" notice
- Employee fact and frequently asked question sheets
- Mandatory USERRA Notice poster (laminated, 11" x 17")
- · Required military leave forms
- · Sample "Employer Response to Military Leave Request" handout
- Instructions for obtaining an ESGR Statement of Support wall display

De contratto o	O - 4 - 1t November
Description	Catalog Number
USERRA Compliance Program	106425
USERRA Compliance Poster	106426



## **Ergonomic Training Products**


## **▶** Ergonomic Awareness & Musculoskeletal **Disorders Prevention Program**

- Comply with OSHA's General Duty Clause which requires that employees be furnished a place of employment free from recognized hazards, including musculoskeletal disorders.
- · Recommended for all businesses in all states.

#### Program includes:

- 134-page information binder
- Sample ergonomics program
- · Reproducible checklists and forms
- Employee handout (25 each)
- Ergonomics Awareness Poster (laminated, 11" x 17")
- · Complete program on computer disk

Description	Catalog Number
Ergonomics Program	106430
Ergonomics Poster	106431






## **▶** Ergonomic Training Program

- 17-minute video helps you address the requirements of OSHA standard (1910-1900), OSHA's final ergonomic rule
- · Fully illustrated handbooks come 10/pkg
- · Leaders guide aids facilitator training

Catalog No.	Description
102740	"Solving the Puzzle" DVD
38093	"Solving the Puzzle" Video
38094	"Solving the Puzzle" Handbooks (10/pkg)
38095	"Solving the Puzzle" Leader's Guide

Protect your workers from work-related musculoskeletal disorders with ergonomic training.





## **▶ Injury & Illness Prevention Program**

- Best defense against preventable accidents, lost work time, worker's compensation costs and OSHA fines.
- Meets OSHA guidelines for written programs and includes all of the forms and documentation needed to demonstrate good faith compliance during an OSHA audit.

#### Program includes:

- Reproducible OSHA reporting forms
- Overview record keeping requirements
- Indexed binder
- Complete written program on CDROM

Description	Catalog Number
Injury & Illness Prevention Program	106432

## **▶** Hazard Communication Program

- Meets OSHA 29 CFR 1910.200 requirements for documented hazcomm program.
- · Required for all businesses that use hazardous chemicals

#### **Program includes:**

- 115-page binder in an easy-to-understand format
- Complete text of OSHA Hazard Communication Standard
- Sample hazard communication program
- Sample training program
- · Reproducible checklists and forms
- Hazardous chemicals chart customizable to your workplace
- Employee Right-To-Know poster (laminated, 16" x 20")

Description	Catalog Number
Hazard Communication Program	106428







## Hazcom Employee Right to Know Poster

A Right to Know poster that will assist you in complying with OSHA requirements to inform your employees about potential chemical hazards.

#### Our poster includes information on:

- OSHA's Hazard Communication Standard
- Material Safety Data Sheet guide that explains what they are and what each section of an MSDS includes
- Quick Reference MSDS for employers to list hazardous materials, their application and required safety equipment
- Hazardous Materials Reference Guide that explains the Hazard Diamond and what each category represents
- Size: 16" x 20"
- · Material: Laminated


Description	Catalog Number
Hazcom Employee Right-to-Know Poster	106429



This fully integrated program makes your MSDS management and HazCom compliance easier with:

- MSDS e-Searcher enables you to search our database of over 350,000 MSDSs from a broad range of companies and applications
- MSDS "Favorites" for quick and easy reference
- All *HMIS/MSDS* information is presented in uniform 16-part format
- Searchable 172.101 HazMat Table

**Catalog Number** 50192



Compatible with PC Windows 95, 98, 2000, NT

The fully searchable Hazard Communication Reference Library also includes:

- OSHA 29 CFR 1910 & 1926 Regulations
- Hazard Communication Directive (the why and how behind the MSDS requirements for your business)
- NIOSH Pocket Guide and Emergency Response Guidebook
- EPA's List of Lists; TRI List; CERCLA List USFA Hazardous Material Guide for First Responders



## **Hazard Communication Training Materials**

#### Hazcom Case Histories Video

- **Learn From Their Mistakes** video motivates employees to take proper precautions by detailing true stories of HAZCOM accidents
- · Running time: 20 minutes

Catalog Number

### Hazard Communication Handbook

- Helps train employees in the identification of hazardous chemicals, use of product warning labels and understanding MSDS
- Handbook helps you comply with OSHA's Hazard Communication Standard
- Standard package: 10 handbooks

Catalog Number 66206



Employee training video and handbook can help you comply with OSHA's Hazard Communication Standard.



### Right To Know Training Books

- 15 page RTK training booklet
- · Available in English or Spanish
- Sold in packages of 10 or 25

Description	Catalog Number
English - 25 Pack	2101
English - 10 Pack	2101-TEN
Spanish - 25 Pack	2103
Spanish - 10 Pack	2103-TEN



## **▶** Lockout/Tagout Training: A Program for Employees

Train employees to protect themselves and others during machine servicing and maintenance. This program shows how to recognize all potential hazards and handle them safely.

#### Includes:

- Live action 13 minute, full color VHS video
- Instructors guidebook with guizzes, 24 pages
- 10 employee handbooks
- 10 certificate of completion wallet cards

Catalog No.	Description	Quantity
99673	Complete Kit	1
99674	Additional handbooks	1/pkg.
99675	Additional wallet cards	10/pkg.

### **Lockout For Life**

- Learn from other workers' tragic mistakes. This motivational video presents six real-life dramatizations of actual lockout accidents and analyzes how they could have been prevented
- Suitable for new and experienced employees
- Comes complete with 10 accompanying booklets
- Run time: 19 minutes

Catalog No.	Description
51793	Lockout For Life DVD English/Spanish (includes 10 English booklets)
66255	Lockout For Life video (includes 10 booklets)
51544	Lockout For Life video (Spanish)
65812	Additional booklets (10/pkg.)

## **▶ LOTO for Authorized & Affected Personnel**

- Provides a comprehensive introduction to the key components of an effective LOTO program
- Comes with reproducible guiz and certificate
- Run time: 17 minutes (VHS video format)
- Spanish language video also available (quiz and certificate in English only)

Catalog No.	Description
51454	LOTO For Authorized & Affected Personnel (English)
51455	LOTO For Authorized & Affected Personnel (Spanish)

### **▶** Lockout/Tagout Handbook

 16-page training booklet with quiz instructs workers how to protect themselves from hazardous energy


Catalog No.	Description	Quantity
66219	Lockout/Tagout Handbook	10/pkg.
63004	Spanish-language Handbook	10/nkg

## ▶ PRINZING Lockout Safety Training Booklet

• 16-page training booklet covers the basics of lockout/tagout safety


Catalog No.	Description	Quantity
2112-TEN	Lockout Safety	10/pkg.
2112	Lockout Safety	25/pkg.
2112SP-TEN	Spanish-language version	10/pkg.
2112SP	Spanish-language version	25/pkg.



















## **▶ OSHA Log 300 Record Keeping Kit**

- · Helps employers comply with OSHA recordkeeping regulations
- Meets requirements of Part 1904 of Title 29 of the Code of Federal Regulations

#### Program includes:

- OSHA recordkeeping rule guidebook
- OSHA resource CDROM, which includes 30 fact sheets, interactive advisor programs, and publications addressing general safety and health hazards.
- "Summary of Work-Related Injuries & Illnesses" poster (laminated, 11" x 17")
- 3 two-part NCR format OSHA 300 forms to log work-related injuries and illnesses
- 5 two-part NCR format 301 OSHA injury report forms



## OSHA Record Keeping Center

- This comprehensive unit offers immediate compliance solutions. OSHA requires all companies with 11 or more employees to prepare, maintain and post records of work related illnesses and injuries
- Sold as a Kit (OR305E) or components sold separately

Description	Catalog Number
OSHA Record Keeping Center	OR305E
Posting Board	OR3000
Record Keeping Binder only	OR323E
Binder & Holder Combo	OR314E
Accident Sign	OR20410
OSHA Info "V" sign	OR20330
OSHA 300A Forms	OR300A
OSHA 300E Forms	OR300E
OSHA 3001E Forms	OR301E

OSHA Log 300 Record Keeping Kit 106433

**Catalog Number** 

## **OSHA Safety Manuals**

## OSHA Safety Trainer's Guide

- Ideal companion to OSHA Safety Handbook for employees, this "Teacher's Edition" will help you turn your employees' safety books into a complete safety training system
- Includes detailed regulatory background information and compliance requirements, training tips and suggestions, annotated answer key, and a training program planner

Catalog	Number
43996	

#### ▶ 1910 OSHA Guide

 Complete guide to OSHA's 1910 regulations for hazardous materials, personal protective equipment, machine guarding and lockout/tagout, electrical standards, confined spaces and HAZWOPER

Catalog Number	
43991	

## Compliance Audits: Essential Checklists for OSHA, EPA & Other Key Agencies

- Manual walks you through how to conduct an audit and establish a safety committee/task force
- Checklists cover critical regulations including lockout/tagout, HAZWOPER, confined spaces, chemical labeling and Right-To-Know
- Includes checklists for 18 EPA and OSHA work areas, 12 OSHA record-keeping areas, and 5 EPA record-keeping areas

## OSHA Safety Handbook

 Compact, fully-illustrated training manual supports your new or existing training programs by giving your employees the right combination of informational facts and practical, on-the-job safety tips to help protect them from injury

Description


- Helps train employees in 17 of OSHA's key topics
- Includes Employee Receipt page you can file as proof of your training efforts
- Features 8 to 12 full color illustrations per chapter
- Softbound handbook is 51/4" x 81/4" and approximately 224 pages

Catalog Number	
43995	

#### OSHA Compliance Manual

- An ideal companion to our 1910 OSHA Guide, this manual offers detailed explanations and how-to-comply guidelines on problematic topics such as training, labels, signs and marking, confined spaces, lockout/tagout, etc.
- Organized by compliance topic versus regulation number for easier referencing
- Sections include training, record-keeping, labeling and equipment
- Includes sample forms and a "Safeworks" section that shares how other employers have achieved compliance

Catalog Nu	ımber
43990	







## USERRA Military Leave Compliance Program

- Re-employment provisions and prohibitions against service-related discrimination
- For all businesses with one or more employees

#### Program includes:

- . In-depth, non-technical guide to the provisions of USERRA
- Sample employer policies
- Employer/employee compliance checklists
- Summaries of state military leave laws
- "Your Rights as a Military Service Member" notice
- Employee fact and frequently asked question sheets
- Mandatory USERRA Notice poster (laminated, 11" x 17")
- · Required military leave forms
- · Sample "Employer Response to Military Leave Request" handout
- Instructions for obtaining an ESGR Statement of Support wall display

De contratto o	O - 4 - 1t November
Description	Catalog Number
USERRA Compliance Program	106425
USERRA Compliance Poster	106426



## **Ergonomic Training Products**


## **▶** Ergonomic Awareness & Musculoskeletal **Disorders Prevention Program**

- Comply with OSHA's General Duty Clause which requires that employees be furnished a place of employment free from recognized hazards, including musculoskeletal disorders.
- · Recommended for all businesses in all states.

#### Program includes:

- 134-page information binder
- Sample ergonomics program
- · Reproducible checklists and forms
- Employee handout (25 each)
- Ergonomics Awareness Poster (laminated, 11" x 17")
- · Complete program on computer disk

Description	Catalog Number
Ergonomics Program	106430
Ergonomics Poster	106431





## **▶** Ergonomic Training Program

- 17-minute video helps you address the requirements of OSHA standard (1910-1900), OSHA's final ergonomic rule
- · Fully illustrated handbooks come 10/pkg
- · Leaders guide aids facilitator training

Catalog No.	Description
102740	"Solving the Puzzle" DVD
38093	"Solving the Puzzle" Video
38094	"Solving the Puzzle" Handbooks (10/pkg)
38095	"Solving the Puzzle" Leader's Guide


Protect your workers from work-related musculoskeletal disorders with ergonomic training.



This fully integrated program makes your MSDS management and HazCom compliance easier with:

- MSDS e-Searcher enables you to search our database of over 350,000 MSDSs from a broad range of companies and applications
- MSDS "Favorites" for quick and easy reference
- All *HMIS/MSDS* information is presented in uniform 16-part format
- Searchable 172.101 HazMat Table

**Catalog Number** 50192



Compatible with PC Windows 95, 98, 2000, NT

The fully searchable Hazard Communication Reference Library also includes:

- OSHA 29 CFR 1910 & 1926 Regulations
- Hazard Communication Directive (the why and how behind the MSDS requirements for your business)
- NIOSH Pocket Guide and Emergency Response Guidebook
- EPA's List of Lists; TRI List; CERCLA List USFA Hazardous Material Guide for First Responders



## **Hazard Communication Training Materials**

#### Hazcom Case Histories Video

- **Learn From Their Mistakes** video motivates employees to take proper precautions by detailing true stories of HAZCOM accidents
- · Running time: 20 minutes

Catalog Number

### Hazard Communication Handbook

- Helps train employees in the identification of hazardous chemicals, use of product warning labels and understanding MSDS
- Handbook helps you comply with OSHA's Hazard Communication Standard
- Standard package: 10 handbooks

Catalog Number 66206



Employee training video and handbook can help you comply with OSHA's Hazard Communication Standard.



### Right To Know Training Books

- 15 page RTK training booklet
- · Available in English or Spanish
- Sold in packages of 10 or 25

Description	Catalog Number
English - 25 Pack	2101
English - 10 Pack	2101-TEN
Spanish - 25 Pack	2103
Spanish - 10 Pack	2103-TEN





## **▶ OSHA Log 300 Record Keeping Kit**

- · Helps employers comply with OSHA recordkeeping regulations
- Meets requirements of Part 1904 of Title 29 of the Code of Federal Regulations

#### Program includes:

- OSHA recordkeeping rule guidebook
- OSHA resource CDROM, which includes 30 fact sheets, interactive advisor programs, and publications addressing general safety and health hazards.
- "Summary of Work-Related Injuries & Illnesses" poster (laminated, 11" x 17")
- 3 two-part NCR format OSHA 300 forms to log work-related injuries and illnesses
- 5 two-part NCR format 301 OSHA injury report forms



## OSHA Record Keeping Center

- This comprehensive unit offers immediate compliance solutions. OSHA requires all companies with 11 or more employees to prepare, maintain and post records of work related illnesses and injuries
- Sold as a Kit (OR305E) or components sold separately

Description	Catalog Number
OSHA Record Keeping Center	OR305E
Posting Board	OR3000
Record Keeping Binder only	OR323E
Binder & Holder Combo	OR314E
Accident Sign	OR20410
OSHA Info "V" sign	OR20330
OSHA 300A Forms	OR300A
OSHA 300E Forms	OR300E
OSHA 3001E Forms	OR301E

OSHA Log 300 Record Keeping Kit 106433

**Catalog Number** 

## **OSHA Safety Manuals**

## OSHA Safety Trainer's Guide

- Ideal companion to OSHA Safety Handbook for employees, this "Teacher's Edition" will help you turn your employees' safety books into a complete safety training system
- Includes detailed regulatory background information and compliance requirements, training tips and suggestions, annotated answer key, and a training program planner

Catalog	Number
43996	

#### ▶ 1910 OSHA Guide

 Complete guide to OSHA's 1910 regulations for hazardous materials, personal protective equipment, machine guarding and lockout/tagout, electrical standards, confined spaces and HAZWOPER

Catalog	Number
43991	

## Compliance Audits: Essential Checklists for OSHA, EPA & Other Key Agencies

- Manual walks you through how to conduct an audit and establish a safety committee/task force
- Checklists cover critical regulations including lockout/tagout, HAZWOPER, confined spaces, chemical labeling and Right-To-Know
- Includes checklists for 18 EPA and OSHA work areas, 12 OSHA record-keeping areas, and 5 EPA record-keeping areas

OSHA Safe	ty Handbook
-----------	-------------

 Compact, fully-illustrated training manual supports your new or existing training programs by giving your employees the right combination of informational facts and practical, on-the-job safety tips to help protect them from injury

Description


- Helps train employees in 17 of OSHA's key topics
- Includes Employee Receipt page you can file as proof of your training efforts
- Features 8 to 12 full color illustrations per chapter
- Softbound handbook is 51/4" x 81/4" and approximately 224 pages

Catalog Number	
43995	

#### OSHA Compliance Manual

- An ideal companion to our 1910 OSHA Guide, this manual offers detailed explanations and how-to-comply guidelines on problematic topics such as training, labels, signs and marking, confined spaces, lockout/tagout, etc.
- Organized by compliance topic versus regulation number for easier referencing
- Sections include training, record-keeping, labeling and equipment
- Includes sample forms and a "Safeworks" section that shares how other employers have achieved compliance


Catalog Number	
43990	











## OSHA Safety Poster

- OSHA notices and other essential safety information on one poster!
- Laminated for protection against vandalism and environmental damage
- Size (h x w): 25½" x 39½"

Description	Catalog Number
OSHA Saftety Poster	106434

#### Poster contains:

- OSHA 300A form summary
- Employee Right to Job Safety & Health notice
- Access to Medical & Exposure Records notice
- OSHA "It's the Law" notice
- Emergency phone number chart
- · Bloodborne pathogens and needlestick safety guide
- Safety training notice and 1-year safety meeting calendar
- Hazardous materials guide and customizable MSDS chart
- Customizable personal protective equipment chart

CA includes three different postings. Recommends adding.


## **▶** Safety Awareness Poster

- · Educates employees and helps avoid disability claims
- Covers key workplace safety, health and first aid topics
- Size (h x w): 20" x 26"

#### Poster covers the following information:

- First aid
- · Heimlich maneuver
- CPR
- Understanding safety signs
- Musculoskeletal disorders
- Safe lifting guidelines
- Emergency phone numbers

Description	Catalog Number
Saftety Awareness Poster	106435






#### **▶** Laminated Safety Posters

- Laminated safety posters are designed to provide continued reinforcement of your ongoing safety program
- Concise, easy to understand explanations of key safety topics and their specific issues
- All posters are laminated on both sides



50344 - Confined Space Poster (24"w x 18"h)



53119 - Hazardous Material Waring Label Chart (24"w x 18"h)



53200(English) I 53201(Spanish) - Right-To-Know Poster (24"w x 18"h)



65952 - Confined Space Poster (18"w x 24"h)



53202(English) I 53203(Spanish) Hazardous Material Poster (26"w x 22"h)



58675(English) I 58677(Spanish) MSDS Training Poster(37"w x 23.5"h)

#### Laminated Safety Posters

- Laminated safety posters are designed to provide continued reinforcement of your ongoing safety program
- Concise, easy to understand explanations of key safety topics and their specific issues
- All posters are laminated on both sides



PS128E - Emergency First Aid (18"H x 24"W)



PS137E - Safety Sign & Tag Guide  $(18"H \times 24"W)$ 



BLSP - Back Lift Safety (18"H x 24"W)



FLSP - Forklift Safety (18"H x 24"W)



**PS127E - Personal Protective Equipment** (18"H x 24"W)



MSSP - Machine Safety Poster (18"H x 24"W) SH1824 - Poster Holder (sold separately)



### Laminated Safety Posters

- · Laminated safety posters are designed to provide continued reinforcement of your ongoing safety program
- · Concise, easy to understand explanations of key safety topics and their specific issues
- All posters are laminated on both sides





104571 - Preventing Arc Flash Injuries Poster (18"H x 24"W)



PS145E - Bonding & Grounding (18"H x 24"W)



**PS147E - CPR** (18"H x 24"W)



PS149E - Respirator Fit Test (24"H x 18"W)

#### Laminated Safety Posters


- Laminated safety posters are designed to provide continued reinforcement of your ongoing safety program
- Concise, easy to understand explanations of key safety topics and their specific issues
- All posters are laminated on both sides



PS131E - Safe Handling of Flammable Liquids (18"H x 24"W)



PS125E - Bloodborne Pathogens (18"H x 24"W)



LOSP8 - Lockout Safety (18"H x 24"W)



FESP - Fire Extinguisher Safety (18"H x 24"W)



PS125S - Bloodborne Pathogens - Spanish (18"H x 24"W)




**LOSP8SP - Lockout Safety - Spanish** (18"H  $\times$  24"W)



## **▶ Vinyl Wall Safety Charts**

- Visual impact and comprehension is enhanced through the use of bold, colorful graphics
- Durable yet flexible 0.2" calendared vinyl stands up any environment and lasts longer than typical laminated posters
- Large 29"w x 20"h size
- 4 predrilled holes for easy mounting





**105615** (20"H x 29"W)




**105621** (20"H x 29"W)




105623 (20"H x 29"W)



105616 (20"H x 29"W)



**105632** (20"H x 29"W)




105609 (20"H x 29"W)



#### **▶ Vinyl Wall Safety Charts**

- Visual impact and comprehension is enhanced through the use of bold, colorful graphics
- Durable yet flexible 0.2" calendared vinyl stands up any environment and lasts longer than typical laminated posters
- Large 29"w x 20"h size
- · 4 predrilled holes for easy mounting





105610 (20"H x 29"W)



105624 (20"H x 29"W)




105613 (20"H x 29"W)



105622 - Wall Chart (20"H x 29"W)



105625 (20"H x 29"W)



105629 (20"H x 29"W)



**105614** (20"H x 29"W)



#### Vinyl Wall Safety Charts


- · Visual impact and comprehension is enhanced through the use of bold, colorful graphics
- Durable yet flexible 0.2" calendared vinyl stands up any environment and lasts longer than typical laminated posters
- Large 29"w x 20"h size
- 4 predrilled holes for easy mounting




105618 (20"H x 29"W)



105617 (20"H x 29"W)




105620 (20"H x 29"W)



105619 (20"H x 29"W)




105633 (20"H x 29"W)



105631 (20"H x 29"W)

### **▶ Vinyl Wall Safety Charts**

- Visual impact and comprehension is enhanced through the use of bold, colorful graphics
- Durable yet flexible 0.2" calendared vinyl stands up any environment and lasts longer than typical laminated posters
- Large 29"w x 20"h size
- 4 predrilled holes for easy mounting



105611 (20"H x 29"W)



**NEW** 

105612 (20"H x 29"W)




105630 (20"H x 29"W)



105627 (20"H x 29"W)




105626 (20"H x 29"W)



105628 (20"H x 29"W)





The NFPA\* Diamond and the New Color Bar above are the two most commonly used chemical label warning systems. These systems identify the hazards of a material by four principal categories:

- **Health Hazard** which ranks the specific material's probable severity to personal health
- **Fire Hazard** which ranks the specific material's susceptibility to burn
- **Instability** which ranks the specific material's ease, rate and quantity of energy released
- **Specific Hazard** which identifies the specific material's special hazard potential or any special protection which may be required

Use the chart below when determining the specific rating to be used to identify each of the above specified hazards.

\*NFPA — National Fire Protection Association Hazardous Material Signal (Code #704M)

	RATING EXPLANATION GUIDE					
	HEALTH	FIRE HAZARD INSTABILITY			NSTABILITY	
F	Recommended Protection		Susceptibility to Burning		Susceptibility to Energy Release	
4	Special full protective suit and breathing apparatus must be worn	4	Very Flammable	4	May detonate under normal conditions	
3	Full protective suit and breathing apparatus should be worn	3	Ignites under normal temperature conditions	3	May detonate with shock or heat	
2	Breathing apparatus with full face mask should be worn	2	Ignites with moderate heating	2	Violent chemical change but does not detonate	
1	Breathing apparatus may be worn	1	Ignites when preheated	1	Not stable if heated use precautions	
0	No precautions necessary	0	Will not ignite	0	Normally stable	

## MarkWare<sup>™</sup> Facility Identification Software

- For use with Windows® 95, 98, NT, or 2000
- Quickly design customized, professional looking signs and labels on your PC
- Print directly to any laser, inkjet or Brady thermal transfer printer
- A database covering 2,000 commonly used chemicals is provided as a reference for creating OSHA RTK-compliant labels
- See page 228 for more information

Catalog Number	Description
20700	MarkWare Software Kit (regular price)
20711	Software & Laminating Kit



# **OSHA Standards**


#### **OSHA Standards**

The Occupational Safety and Health Administration (OSHA) Federal Hazard Communication Standard 29 CFR 1910.1200 has become known as the "Right-To-Know" law. This standard gives both employers and employees a right-to-know about the hazardous chemicals they use in the workplace. It is designed to reduce the incidence of chemical source injury and illness in the workplace.

In order to accomplish this, employers are required to:

- 1. Have Material Safety Data Sheets (MSDS) on file for every hazardous chemical in the workplace available to all employees during their work shift.
- 2. Train employees about the potential hazards, how to identify and safely work with hazardous chemicals and the proper personal protection necessary when working with hazardous chemicals. Employees must be trained before they start a work assignment.
- 3. Identify and list all of the hazardous chemicals in the workplace.
- 4. Have a written hazard communication program available for employees, OSHA and outside contractors who enter the workplace.
- 5. Have labels on all hazardous chemical containers that:
  - List the name and address of the manufacturer
  - List the chemical name
  - List the type of potential hazard that exists
  - List the precautions necessary
  - List target organ information
  - Are easily related to the appropriate MSDS on file
- 6. Maintain reports, records and logs for the entire program.
- 7. Certain states require that you report all of this information to a state agency, department of labor, health department or fire department depending on the state law that is in effect.

Hard work is necessary to come into compliance with the law. Brady offers a wide variety of products to keep your work to a minimum, while enabling you to implement a complete program that will bring your company into compliance with the Hazard Communication Standard.



## **ChemLabel™ Hazardous Material Labeling Software**

## Brady's ChemLabel™ Software helps keep employees safe by ensuring properly labeled chemicals

Poorly and inaccurately labeled chemicals and other dangerous materials represent potentially serious safety problems. Brady's new ChemLabel™ Hazardous Material Labeling Software will make it easy to create and print labels for hazardous substances.

This Windows-based software package offers a complete set of tools to handle virtually any hazardous material labeling application.

## Use anywhere chemicals are labeled!

ChemLabel™ Hazardous Material Labeling Software is an extremely useful tool for factories, hospitals, laboratories, or anywhere chemicals and other hazardous materials are used and stored

#### see page 232 for more information





see page ??? for more information

## Right-To-Know Label Blanks for MarkWare™ & ChemLabel™ Software

- Use MarkWare™ or ChemLabel™ Software (sold separately above) to create your own Right-To-Know Container Labels with these ready-to-go formats
- Choose from 12 different label sizes and formats
- Available in paper or vinyl material, with permanent, pressure-sensitive adhesive backing.
- Compatible for use with most laser printers





NFPA	Diamond Format - 25 sheets/package						
Size	5¾" x 5¾"	4" x 4"	2" x 2"	1" x 1"			
Vinyl	59249	59250	59251*	59252			
Paper	59257	59258	59259*	59260			

*59251	&	59259	are	sold	6	labels/	sheet.

NFPA Dia	mond w/ l	Hazard Clas	sification
7" x 10"	5" x 7"	3½" x 5"	2" x 2"
59248	59253	59254	59255
59256	59261	59262	59263

x 10" and  $5\frac{3}{4}$ " x  $5\frac{3}{4}$ " are sold 1 label/sheet. 4" x 4" and 5" x 7" are sold 2 labels/sheet.  $3\frac{1}{2}$ " x 5" is sold 4 labels/sheet. 2" x 2" is sold 15 labels/sheet. 1" x 1" size is sold 35 labels/sheet.



Brady Color Bar Format - 25 sheets/package						
Size	7" x 10"	5" x 7"	3½" x 5"	2" x 2"		
Vinyl	59240	59241	59242	59243		
Paper	59244	59245	59246	59247		




Vinvl 59240

Paper

Vinyl



59241





59256 59248

Paper

Paper

Vinyl


59247


59243

59258 **Paper** 59250 Vinvl



59259 Paper 59251





Paper 59254

59253



59263 Paper 59255




# **Hazard Communication (RTK)**

## Write-On Right-To-Know Labels



**Customize these Blank R-T-K** Labels by writing your own message on them and adding R-T-K pictograms.

- Add Right-To-Know Pictograms (sold separately on facing page) to these Blank Write-On Right-To-Know Label Formats to customize your own R-T-K Labels
- Available in your choice of two materials B-933 vinyl labels sold in packages of 50 or B-120 fiberglass signs sold individually
- Choose from NFPA Diamond or HMIG Color Bar formats
- Permanent marking pen sold on page ???





		Catalog Number		
Material	Size	NFPA Version	New Color Bar Version	
B-120	7" x 10"	58733	-	
B-120	10" x 14"	58734	-	
B-933	1½" x 2"	58712	58713	
B-933	3" x 5"	58700	58703	
B-933	5" x 7"	58701	58704	
B-933	7" x 10"	58702	58705	

## **Right-To-Know Pictograms**



**Brady Pictograms add visual** impact to your Right-To-Know labeling program.















Label Size	Safety Goggles	Face Shield	Apron	Dust Mask	Vapor Respirator	Self-Contained Air Respirator	Gloves
5/16"	58524	58529	58534	58539	58544	58549	58554
3/4"	58525	58530	58535	58540	58545	58550	58555
11/8"	58526	58531	58536	58541	58546	58551	58556
11/2"	58527	58532	58537	58542	58547	58552	58557
21/4"	58528	58533	58538	58543	58548	58553	58558



58559







Poison

58574



58579

58580

58581

58582

58583



Corrosive

58584

58585

58586

58587

58588



**Explosive** 

58589

58590

58591

58592

58593

	94	28260	28202	38370	28272		
	11/8"	58561	58566	58571	58576		
	11/2"	58562	58567	58572	58577		
	21/4"	58563	58568	58573	58578		
Rin	Right-To-Know Labels to quickly and						

Apply Pictograms to Blank Write-On Right-To-Know Labels to quickly and effectively convey personal protection instructions and special precautionary information

Labe Size

- Pictograms correspond to ANSI's proposed Z.535 Standard
- Made from premium grade B-946 vinyl
- Pictograms are card-mounted for easy removal

Right-To-Know Label Size	Pictogram Label Size	Pictogram Image Height	Number of Labels Per Card
1½" x 2", 2" x 1½"	<sup>5</sup> /16"	<sup>3</sup> / <sub>16</sub> "	100
3" x 5", 5" x 3"	3/4"	<sup>5</sup> /8"	36
5" x 7", 7" x 5"	1½"	1"	16
7" x 10", 10" x 7"	1½"	1 <sup>1</sup> /4"	9
10" x 14", 14" x 10"	2 <sup>1</sup> / <sub>4</sub> "	21/4"	4

## **Overlaminate For Labels**

- Preserve the integrity of your important Right-To-Know Labels with this protective B-674 overlaminate material
- Standard package: 50 labels
- Available in three sizes

Size	Catalog Number
2½" x 2½"	58476
3½" x 5½"	58706
7½" x 10½"	58708






## Write-On Right-To-Know Labels

## 1" x 3" RTK Labels

- Economical option for identifying bottles and containers
- Each label has designated areas for writing in chemical name, manufacturer, date and hazard rating
- Available in paper or vinyl

Size	Material	Format	Qty.	Catalog Number
1"H x 3"W	Paper	HMIG	720	60326
1"H x 3"W	Vinyl	HMIG	720	60327
1"H x 3"W	Paper	NFPA	720	102844
1"H x 3"W	Vinyl	NFPA	720	102845



#### **HMIG Pin-Feed Labels**

- Labels made of self-adhesive paper, available in 2 sizes
- Labels will not slip as they track through your printer, and will not smudge or smear
- Area for chemical name at top of label on catalog number 60320

Catalog		
Number	Description	Size
60320	Small HMIG Labels w/Chem. Name	17/8" x 3" Roll of 500
60321	Small HMIG Labels	17/8" x 3" Roll of 500
60322	Large HMIG Labels	37/8" x 37/8" Roll of 500
60323	Polyester Overlays	2½" x 4" Pad of 100
60324	Polyester Overlays	4½" x 4½" Pad of 100



## 5" x 3" Container Labels

- Economical option for secondary container labeling
- Choose from paper or vinvl materials in NFPA Diamond or HMIG Color Bar formats
- Write-on labels allow you to customize your message. (Permanent marking pen sold on page 265)
- Standard package: 500 labels per roll

Size	Material	Format	Catalog Number
5" x 3"	Paper	HMIG Color Bar	58260
5" x 3"	Vinyl	HMIG Color Bar	58261
5" x 3"	Paper	NFPA Diamond	58262
5" x 3"	Vinyl	NFPA Diamond	58263

# NFPA

#### **HMIG Color Bar**




## 2" x 11/4" Laboratory Labels

- Choose from paper or vinyl materials in NFPA Diamond or HMIG Color Bar formats
- Write-on labels allow you to customize your
- Standard package: 500 labels per roll

Size	Material	Format	Catalog Number
2" x 1 <sup>1</sup> / <sub>4</sub> "	Paper	HMIG Color Bar	58268
2" x 1 <sup>1</sup> / <sub>4</sub> "	Vinyl	HMIG Color Bar	58269
2" x 1 <sup>1</sup> / <sub>4</sub> "	Paper	NFPA Diamond	58270
2" x 1 <sup>1</sup> / <sub>4</sub> "	Vinvl	NFPA Diamond	58271

#### **NFPA**

#### **HMIG Color Bar**





## NFPA Diamond Labels

- Choose from 2 different materials (B-235 Semi-gloss paper or B-946 Vinyl)
- Available in rolls of 500

Size	Material	Catalog Number
2" x 2"	B-235	53067
2" x 2"	B-946	53068
4" x 4"	B-235	53069
4" x 4"	B-946	53070
6" x 6"	B-235	53071
6" x 6"	B-946	53072



## **ChemLabel™ Hazardous Material Labeling Software**

## Brady's ChemLabel™ Software helps keep employees safe by ensuring properly labeled chemicals

Poorly and inaccurately labeled chemicals and other dangerous materials represent potentially serious safety problems. Brady's new ChemLabel™ Hazardous Material Labeling Software will make it easy to create and print labels for hazardous substances.

This Windows-based software package offers a complete set of tools to handle virtually any hazardous material labeling application.

## Use anywhere chemicals are labeled!

ChemLabel™ Hazardous Material Labeling Software is an extremely useful tool for factories, hospitals, laboratories, or anywhere chemicals and other hazardous materials are used and stored

#### see page 232 for more information





see page ??? for more information

## Right-To-Know Label Blanks for MarkWare™ & ChemLabel™ Software

- Use MarkWare™ or ChemLabel™ Software (sold separately above) to create your own Right-To-Know Container Labels with these ready-to-go formats
- Choose from 12 different label sizes and formats
- Available in paper or vinyl material, with permanent, pressure-sensitive adhesive backing.
- Compatible for use with most laser printers





NFPA	Diamond For	mat - 25	sheets/	oackage
Size	5¾" x 5¾"	4" x 4"	2" x 2"	1" x 1"
Vinyl	59249	59250	59251*	59252
Paper	59257	59258	59259*	59260

*59251	&	59259	are	sold	6	labels/	sheet.

NFPA Dia	mond w/ l	Hazard Clas	sification
7" x 10"	5" x 7"	3½" x 5"	2" x 2"
59248	59253	59254	59255
59256	59261	59262	59263

x 10" and  $5\frac{3}{4}$ " x  $5\frac{3}{4}$ " are sold 1 label/sheet. 4" x 4" and 5" x 7" are sold 2 labels/sheet.  $3\frac{1}{2}$ " x 5" is sold 4 labels/sheet. 2" x 2" is sold 15 labels/sheet. 1" x 1" size is sold 35 labels/sheet.



Brady Co	olor Bar Forma	t - 25 sheet	s/package	
Size	7" x 10"	5" x 7"	3½" x 5"	2" x 2"
Vinyl	59240	59241	59242	59243
Paper	59244	59245	59246	59247




Vinvl 59240

Paper

Vinyl



59241





59256 59248

Paper

Paper

Vinyl


59247


59243

59258 **Paper** 59250 Vinvl



59259 Paper 59251





Paper 59254

59253



59263 Paper 59255




# **Hazard Communication (RTK)**

## Write-On Right-To-Know Labels



**Customize these Blank R-T-K** Labels by writing your own message on them and adding R-T-K pictograms.

- Add Right-To-Know Pictograms (sold separately on facing page) to these Blank Write-On Right-To-Know Label Formats to customize your own R-T-K Labels
- Available in your choice of two materials B-933 vinyl labels sold in packages of 50 or B-120 fiberglass signs sold individually
- Choose from NFPA Diamond or HMIG Color Bar formats
- Permanent marking pen sold on page ???





		Catalog Number		
Material	Size	NFPA Version	New Color Bar Version	
B-120	7" x 10"	58733	-	
B-120	10" x 14"	58734	-	
B-933	1½" x 2"	58712	58713	
B-933	3" x 5"	58700	58703	
B-933	5" x 7"	58701	58704	
B-933	7" x 10"	58702	58705	

## **Right-To-Know Pictograms**



**Brady Pictograms add visual** impact to your Right-To-Know labeling program.















Label Size	Safety Goggles	Face Shield	Apron	Dust Mask	Vapor Respirator	Self-Contained Air Respirator	Gloves
5/16"	58524	58529	58534	58539	58544	58549	58554
3/4"	58525	58530	58535	58540	58545	58550	58555
11/8"	58526	58531	58536	58541	58546	58551	58556
11/2"	58527	58532	58537	58542	58547	58552	58557
21/4"	58528	58533	58538	58543	58548	58553	58558



58559







Poison

58574



58579

58580

58581

58582

58583



Corrosive

58584

58585

58586

58587

58588



**Explosive** 

58589

58590

58591

58592

58593

	94	28260	28202	38370	28272
	11/8"	58561	58566	58571	58576
	11/2"	58562	58567	58572	58577
	21/4"	58563	58568	58573	58578
Right-To-Know Labels to quickly and					

Apply Pictograms to Blank Write-On Right-To-Know Labels to quickly and effectively convey personal protection instructions and special precautionary information

Labe Size

- Pictograms correspond to ANSI's proposed Z.535 Standard
- Made from premium grade B-946 vinyl
- Pictograms are card-mounted for easy removal

Right-To-Know Label Size	Pictogram Label Size	Pictogram Image Height	Number of Labels Per Card
1½" x 2", 2" x 1½"	<sup>5</sup> /16"	<sup>3</sup> / <sub>16</sub> "	100
3" x 5", 5" x 3"	3/4"	<sup>5</sup> /8"	36
5" x 7", 7" x 5"	1½"	1"	16
7" x 10", 10" x 7"	1½"	1 <sup>1</sup> /4"	9
10" x 14", 14" x 10"	2 <sup>1</sup> / <sub>4</sub> "	21/4"	4

## **Overlaminate For Labels**

- Preserve the integrity of your important Right-To-Know Labels with this protective B-674 overlaminate material
- Standard package: 50 labels
- Available in three sizes

Size	Catalog Number
2½" x 2½"	58476
3½" x 5½"	58706
7½" x 10½"	58708






## Write-On Right-To-Know Labels

## 1" x 3" RTK Labels

- Economical option for identifying bottles and containers
- Each label has designated areas for writing in chemical name, manufacturer, date and hazard rating
- Available in paper or vinyl

Size	Material	Format	Qty.	Catalog Number
1"H x 3"W	Paper	HMIG	720	60326
1"H x 3"W	Vinyl	HMIG	720	60327
1"H x 3"W	Paper	NFPA	720	102844
1"H x 3"W	Vinyl	NFPA	720	102845



#### **HMIG Pin-Feed Labels**

- Labels made of self-adhesive paper, available in 2 sizes
- Labels will not slip as they track through your printer, and will not smudge or smear
- Area for chemical name at top of label on catalog number 60320

Catalog		
Number	Description	Size
60320	Small HMIG Labels w/Chem. Name	17/8" x 3" Roll of 500
60321	Small HMIG Labels	17/8" x 3" Roll of 500
60322	Large HMIG Labels	37/8" x 37/8" Roll of 500
60323	Polyester Overlays	2½" x 4" Pad of 100
60324	Polyester Overlays	4½" x 4½" Pad of 100



## 5" x 3" Container Labels

- Economical option for secondary container labeling
- Choose from paper or vinvl materials in NFPA Diamond or HMIG Color Bar formats
- Write-on labels allow you to customize your message. (Permanent marking pen sold on page 265)
- Standard package: 500 labels per roll

Size	Material	Format	Catalog Number
5" x 3"	Paper	HMIG Color Bar	58260
5" x 3"	Vinyl	HMIG Color Bar	58261
5" x 3"	Paper	NFPA Diamond	58262
5" x 3"	Vinyl	NFPA Diamond	58263

# NFPA

#### **HMIG Color Bar**




## 2" x 11/4" Laboratory Labels

- Choose from paper or vinyl materials in NFPA Diamond or HMIG Color Bar formats
- Write-on labels allow you to customize your
- Standard package: 500 labels per roll

Size	Material	Format	Catalog Number
2" x 1 <sup>1</sup> / <sub>4</sub> "	Paper	HMIG Color Bar	58268
2" x 1 <sup>1</sup> / <sub>4</sub> "	Vinyl	HMIG Color Bar	58269
2" x 1 <sup>1</sup> / <sub>4</sub> "	Paper	NFPA Diamond	58270
2" x 1 <sup>1</sup> / <sub>4</sub> "	Vinvl	NFPA Diamond	58271

#### **NFPA**

#### **HMIG Color Bar**






## NFPA Diamond Labels

- Choose from 2 different materials (B-235 Semi-gloss paper or B-946 Vinyl)
- Available in rolls of 500

Size	Material	Catalog Number
2" x 2"	B-235	53067
2" x 2"	B-946	53068
4" x 4"	B-235	53069
4" x 4"	B-946	53070
6" x 6"	B-235	53071
6" x 6"	B-946	53072








## ▶ HMIG Self-Laminating Labels


- Label and overlay all in one self-adhesive polyester label includes polyester laminate cover to smooth over completed label
- Write in the appropriate rating on the left side. The right side shows the index for required protective equipment
- Available in three sizes
- Standard package: 25 labels


Catalog	
Number	Size
60332	2" x 3½"
60333	3" x 5"
60334	4" x 7"



## NFPA Protective Equipment Labels

- Choose from 4 different sizes
- Made from pressure sensitive vinvl (B-946)
- 1 label per package





Size	Catalog Number
3½" x 5"	53079
5" x 7"	53080
7" x 10"	53081
10" x 14"	53082



			Catalog
Size	Material	Format	Number
8" x 3"	Paper	HMIG Color Bar	58264
8" x 3"	Vinyl	HMIG Color Bar	58265
8" x 3"	Paper	NFPA Diamond	58266
8" x 3"	Vinyl	NFPA Diamond	58267

#### **NFPA Diamond**



#### **HMIG Color Bar**



## **PPE & Target Organ Labels**

- Choose from paper or vinyl materials in NFPA Diamond or HMIG Color Bar formats
- Write-on labels allow you to customize your message.
- Standard package: 500 labels per roll

☐ INHALATION ☐ INDESTION ☐ SKIN ABSORPTION ☐ SKIN OR EYE CONTACT	HEALTH
HEALTH HAZARDS    NO HEALTH HAZARD   IRETRANT     TOXIC   CORROSHE     HISHLY TOXIC   SINSHITZER     REPRODUCTIVE TOXIN   CARCINOGEN	FLAMMABILITY
PHYSICAL HAZARDS    NO PHYSICAL HAZARDS   DEPLOSIVE     COMBUSTIBLE LIQUID   PHOPHORIC     COMPRESSED GAS   WATER REACTIVE     FLAMMABLE GAS   ORGANIC PERCODE     UNSTABLE GRACTIVE    OXIDIZER	INSTABILITY
TARGET ORBANS AND EFFECTS  UASSES  SERVICE  HEART  HEART	PROTECTIVE EQUIPMENT
□ LWER	Consult MSDS for further hazard Information and Instruction

#### **Use HMIG Target Organ Labels to identify** specific hazard information.

	WA	ARNING	ì
EXPOSU	RE TO THIS M	IATERIAL CAN	CAUSE DAMAGE
TO THE I	OLLOWING O	RGANS/PART	S OF THE BODY:
		,	
□ BLADDER	☐ HEART	□ LYMPHATICS	☐ STOMACH
☐ BLOOD	☐ INTESTINES	□ PANCREAS	☐ UTERUS
☐ BRAIN	☐ KIDNEY	□ PROSTATE	☐ CARDIOVASCULAR SYSTEM
□ EYES	☐ LIVER	□ SKIN	☐ CENTRAL NERVOUS SYSTE
☐ GALLBLADDER	☐ LUNG	☐ SPLEEN	☐ RESPIRATORY SYSTEM
			W.H. BRADY CATALOG NO. 93800

These labels are ideal to bring existing labels into compliance with target organ requirements.

## **HMIG Target Organ Labels**

- Made of self-adhesive paper
- Two labels in one for convenient labeling of hazard information
- Sections include: routes of entry checklist; acute and chronic health hazards; and target organs affected
- Available in three sizes in pads of 100

## **Target Organ Labels**

- Two sizes available: 11/2" x 4" and 2" x 7"
- Made from B-928 vinyl material
- Standard package: 50 labels

Catalog	
Number	Size
60335	4" x 5 <sup>7</sup> /8"
60336	6" x 6"
60337	10" x 7 <sup>1</sup> / <sub>4</sub> "

Catalog	
Number	Size
93800	1½" x 4"
93801	2" x 7"



# **Hazard Communication (RTK)**

IDENTITY

COMPANY NAME ADDRESS

#### Haz-Com Labels

- Made of self-adhesive paper
- Labels include areas for name of substance, CAS number, warning and proper identification; also designate routes of entry, physical and health hazards, and target organs affected
- Available in two sizes: 5" x 5", and 7" x 7"
- Standard package: pads of 100 labels

**Meet OSHA Hazard Communication Standard requirements** with Brady's Haz-Com Labels.

		CAS NO.	PROTECTIVE EQUIPME
		(CHECK OFF APPROPRIATE BOXES)	PHYSICAL HAZARDS
		ROUTE OF ENTRY	☐ NO PHYSICAL HAZARDS ☐ PYROPHORI
Catalog Number 60330	<b>Size</b> 5" x 5"	☐ INHALATION ☐ SKIN ABSORPTION ☐ INGESTION	☐ COMBUSTIBLE LIQUID ☐ ORGANIC PE☐ COMPRESSED GAS ☐ WATER REAL ☐ OXIDIZER ☐ UNSTABLE (I
60331	7" x 7"	SKIN OR EYE CONTACT HEALTH HAZARDS	☐ FLAMMABLE GAS ☐ EXPLOSIVE ☐ FLAMMABLE LIQUID/SOLID
		☐ NO HEALTH HAZARD	TARGET ORGANS & EFFECTS
s		☐ TOXIC ☐ HIGHLY TOXIC ☐ REPRODUCTIVE TOXIN ☐ IRRITANT ☐ CORROSIVE ☐ SENSITIZER ☐ CARCINOGEN	LUNGS CENTRAL NERVOUS SYS HEART CARDIOVASCULAR SYST KIDNEY MUCOUS MEMBRANES EYES CAUTONOMIC NERVOUS S SKIN RESPIRATORY SYSTEM PROSTATE MUTAGEN BLOOD TERATOGEN LIVER

## **Right-To-Know Tags**

- Tags provide an alternative method for identifying hazardous materials where labels and signs are not feasible
- Made from heavy-duty 15 mil. B-851 vinyl to withstand moisture, grease and dirt
- Write-on, textured surface allows for indicating hazardous material, hazard rating or other information with pencil, ballpoint pen or Marking Pen (sold separately below)
- Optional B-839 self-adhering, clear polyester overlaminate material provides tags with additional protection
- Available in NFPA Diamond or HMIG Color Bar formats
- Tag backs available as blank or with Warning Check Box format
- Standard size: 5 3/4" x 3" with 2 chamfered corners and a 3/8" grommeted hole
- Standard package: 25 identical tags per bag with plastic lock-on ties



Front No. 1



PROTECTIVE EQUIPMENT


CENTRAL NERVOUS SYSTEM
CARDIOVASCULAR SYSTEM
MUCOUS MEMBRANES
AUTONOMIC NERVOUS SYSTEM
RESPIRATORY SYSTEM

Front No. 2


#### To Order:

Simply select tag, front and back styles, and order by catalog number.

Front	Back	Overlaminate	Catalog Number
1	1	Yes	76203
1	2	Yes	76225
1	1	No	76227
1	2	No	76228
2	1	Yes	76229
2	2	Yes	76236
2	1	No	76237
2	2	No	76238



Back No. 1



Back No. 2

# **Marking Pen**

- For use with all Brady Write-On Labels and Tags
- Black ink, fine line permanent marker


**Customize Accident Prevention Tags with** our permanent Marking Pens.




**Catalog Number** 87052

# **Hazard Communication (RTK)**


## **Hazardous Information Placards**



Placed strategically throughout your facility, **Hazardous Information Placards are an excellent** means of training and reminding personnel how the NFPA System works.



**Color Bar Version** 



**Combined Version** 

- Placards graphically explain the NFPA Hazard Identification Coding System
- Available in premium outdoor grade B-946 self-sticking vinyl or B-120 premium fiberglass
- Fiberglass placard is supplied with four mounting haoles for easy installation
- Vinyl placard is available in a smaller size, 2½" x 3½", for posting at work stations, on hard hats, on Material Safety Data Sheet (MSDS) binders, etc.



Material	Size	Combined Version Catalog Number	NFPA Version Catalog Number	Color Bar Version Catalog Number
B-120	10" x 14"	78786 (14" x 10")	78788	58727
B-946	2½" x 3½"	_	58511	-
B-946	10" x 14"	78787 (14" x 10")	76415	58732

## **NFPA Placard Kits**



- Kit allows you to customize placards on-the-spot
- Placards available in B-946 self-sticking vinyl or B-120 rigid fiberglass material
- Vinvl kits come complete with 10 blank NFPA placards, and 10 characters each of 0-4,  $\forall$ ,  $\Delta$ , OXY, ACID, COR and ALK
- Fiberglass kits come complete with 1 blank NFPA placard, and 10 characters each of 0-4,  $\mathbb{W}$ ,  $\mathbb{C}$ , OXY, ACID, COR and ALK

Material	Placard Size	Character Size	Catalog Number*
B946 Vinyl	10" sq	4"	50053
B120 Fiberglass	11" sq	4"	50055
B946 Vinyl	15" sq	6"	50054
B120 Fiberglass	16" sq	6"	50056

<sup>\*</sup>Components also sold separately, next page.

**Customized Placards allow you to identify** potentially hazardous areas - or place them directly on storage tanks, pipelines, feed hoppers, processing tanks and other potentially hazardous equipment.

# **Hazardous Communication (RTK)**

## Blank NFPA Placards

- Place directly on storage tanks, processing tanks and vessels, feed hoppers, pipelines and other potentially hazardous equipment
- Placards meet National Fire Protection Association's Code No. 704M and Federal Standard 313
- Choose from pressure sensitive B-946 premium outdoor grade vinyl material or a rigid fiberglass diamond, made from B-120 Premium Fiberglass, is also available for mechanically mounting to walls, fences, etc. Supplied with four mounting holes for easy installation
- Add Gothic style Quik-Align® numbers and letters (sold separately below) to mark the corners of your signals

			Recommended		
Material	Size	Standard Package	Quip-Align® Size For Numbers & Symbols	Catalog Number	
B-120 Fiberglass	11" sq.	1	4"	58656	
B-120 Fiberglass	16" sq.	1	6"	58510	
B-946 Vinyl	2½" sq.	10	1"	58500	
B-946 Vinyl	5" sq.	10	2"	58501	
B-946 Vinyl	7½" sq.	10	3"	58502	
B-946 Vinyl	10" sq.	10	4"	58503	
B-946 Vinyl	15" sq.	10	6"	58504	

For Hazardous Information Placards describing the NFPA hazardous identification coding system see page ???

Note: Panels are supplied blank. Use Quik-Align® Letters to complete your signal.



Hazardous Material Signals identify hazardous chemical containers as well as dedicated hazardous material storage areas.

## **▶** Reflective NFPA Placards

Material	Size	Standard Package	Recommended Quip-Align® Size For Numbers & Symbols	Catalog Number
B-997 Reflective	5" sq.	10	2"	58272
B-997 Reflective	7½" sq.	10	3"	58273
B-997 Reflective	10" sq.	10	4"	58274



Hazardous Material Signals are available in a reflective sheeting material.

## **Quik-Align® Diecut Lettering**

- For use with NFPA Placards (sold separately above)
- Tough B-933 outdoor grade self-sticking vinyl characters are black Gothic style (except for magenta radiation trefoil)
- Standard package: 10 identical characters

#### To Order:

Substitute the desired character, number or letter, in place of asterisk. For example: 5010-1. To order the "use no water" and "radiation" symbols, and "OXY," "ACID," "COR" and "ALK" simply order by the 5-digit catalog number (these symbols are not die-cut).

Packages

- aremagee							
Character Size	Quip-Align® Numbers	Catalog ₩	Number	охү	ACID	COR	ALK
1"	5010-*	58505	58601	58664	58669	58685	58690
2"	5050-*	58506	58602	58665	58670	58686	58691
3"	5100-*	58507	58603	58666	58671	58687	58692
4"	5140-*	58508	58604	58667	58672	58688	58693
6"	5180-*	58509	58606	58668	58673	58689	58694



Identify NFPA Hazardous Material Signals with pressure sensitive Quik-Align® Diecut Numbers and Letters.

#### Magnetic Contents Sign

- Attaches to any steel cabinet and can be removed easily no more sticky adhesive residue
- Includes space for identifying up to six chemicals stored inside the cabinet, along with their quantities
- Sign size: 15" H x 12" W
- Available in HMIG and NFPA formats

#### Catalog Number Description 30675 HMIG Contents Sign NFPA Contents Sign

	CONT	ΙŧΝ	TS
ŦE.	CHEMICAL	O F	CHEMICAL
OPE	QUANTITY	OPE	QUANTITY
Œ	CHEMICAL	of.	CHEMICAL
OPE	YTTKAUD	OPE	QUANTITY
O F	CHEMICAL	of the	CHEMICAL
OPE	YTTKAUD	OPE	QUANTITY




#### **HMIG Reference Labels**

- Labels made of self-adhesive, high-gloss paper
- Label size: 5 7/8" H x 4" W
- Standard package: pads of 100

Catalog Number 60329

**HMIG Labels are a convenient** reference to the colors. numbers and symbols used in the HMIG Labeling System; a necessity for any employee who needs to read labels.




# **HMIG ReferenceSigns**

- Handy reference guide define and explain the HMIG Labeling System
- Available in rigid plastic or B-302 self-sticking polyester in two sizes

Catalog Number	Description	Size
60316	Rigid Plastic Sign	10" x 7"
60317	Self-Adhesive Sign	10" x 7"
60318	Rigid Plastic Sign	14" x 10"
60319	Self-Adhesive Sign	14" x 10"

# HAZARDOUS MATERIAL IDENTIFICATION GUIDE ● HEALTH INSTABILITY O PROTECTIVE EQUIPMENT FORMS JOVAN

# **Pictogram Sign**



- Available in your choice of three sizes
- Made from B-928 vinyl material
- Standard package: 50 labels

Catalog	
Number	Size
58709	5" x 3"
58710	7" x 5"
58711	10" x 7"

#### Pictogram Index



- Graphical explanation of 14 different pictograms used on Right-To-Know Labels
- Pictograms correspond to ANSI's Z.535 Standard

14" x 20"

Constructed from B-120 pictogram fiberglass with four mounting holes for easy installation

#### Pictogram Index Catalog


58595

Place Pictogram Explanation Index in strategic locations throughout your facility as a means of training and reminding your personnel of what meaning the pictograms represent.

# **Right-To-Know Wallet Cards**

- Handy reference of the NFPA Hazard Identification Coding System
- Ideal for distribution to employees following formal hazard communication training
- Card size: 2 1/8" x 3 3/8"
- Standard package: 25 cards

Catalog Number	Description
58515	English
89257	Spanish



	HEALTH		FIRE HAZARD	П	NSTABILITY		
Recommended Protection		Susceptibility to Burning			Susceptibility to Energy Release		
4	Special full protective suit and breathing apparatus must be worn	4	Very Flammable	4	May detonate under normal conditions		
3	Full protective suit and breathing apparatus should be worn	3	Ignites under normal temperature conditions	3	May detonate with shock or heat		
2	Breathing apparatus with full face mask should be worn	2	Ignites with moderate heating	2	Violent chemical change but does not detonate		
1	Breathing apparatus may be worn	1	Ignites when preheated	1	Not stable if heated use precautions		
0	No precautions necessary	0	Wi∎ not ignite	0	Normally stable		

# **Hazardous Communication (RTK)**

#### **▶** Right To Know Compliance Center

- Compliance center includes red polystyrene board, binder rack and MSDS binder (2023)
- 1.5" MSDS binder w/ 300 sheet capacity
- Center size: 20"H x 14"W x 41/2"D

Description	Catalog Number
RTK Compliance Center	2010
RTK Compliance Center w/inserts	RK018A
RTK compliance Center w/o binder	2010NB
Spanish RTK Compliance Center	2010SP
Spanish RTK Compliance Center w/inserts	RK018S
Spanish RTK Compliance Center w/o binder	102718





See pg. 238-240 for more RTK Centers

#### ▶ Hazard Communication Program


- Meets OSHA 29 CFR 1910.200 requirements for documented hazcomm program.
- Required for all businesses that use hazardous chemicals

#### Program includes:

- 115-page binder in an easy-to-understand format
- Complete text of OSHA Hazard Communication Standard
- Sample hazard communication program
- Sample training program
- · Reproducible checklists and forms
- Hazardous chemicals chart customizable to your workplace
- Employee Right-To-Know poster (laminated, 16" x 20")

Description	Catalog Number
Hazard Communication Program	106428

See pg. 247-248 for more RTK Training Materials





105613 (20"H x 29"W)

# **▶** Hazard Communication Program


- Visual impact and comprehension is enhanced through the use of bold, colorful graphics
- Durable yet flexible 0.2" calendared vinyl stands up any environment and lasts longer than typical laminated posters
- Large 29"w x 20"h size
- 4 predrilled holes for easy mounting
  - Employee Right-To-Know poster (laminated, 16" x 20")

See pg. 252-259 for more Safety Posters



# **CUSTOM TANK & VESSEL SIGNS**


- · Brady can help you design Custom Tank and Vessel Signs that include Right-To-Know and Emergency Response information as well as essential chemical data
- Sign legends meet OSHA Requirements including: Tank Content, Hazard (Physical and Health) and Target Organ Warning
- · Optional custom information may include: Tank Name, Tank Number, Tank Capacity, Service Location, Confined Space, Appearance/Odor, Storage/Mixing, First Aid, Emergency Numbers, Signal Word, Personal Protection, Company Logo
- Choose from three standard sign layouts or create your own design
- Three materials available: B-120 fiberglass (recommended) or B-302 self-sticking vinyl or B-401 plastic
- Select from two standard sizes: 20" x 14" and 14" x 10" as well as custom sizes
- Various installation and mounting methods available




Increase chemical awareness and improve emergency response time by properly identifying tanks and vessels.



**Custom Tank & Vessel Signs** Contact Brady's Safety Identification Specialists at 1-888-272-3946.







Format #2

Format #3

REGULATORY MARKINGS

# EGULATORY MARKINGS

# **CUSTOM TANK & VESSEL SIGNS ORDER FORM**



Material:	□В-	·120 Fibergl	ass (CST11	38)	<b>□ B-302</b>	SelfStick	ing Vinyl	(CST11	139)	☐ B-40 <sup>-</sup>	1 Plastic (CST1	1140)
SIZE	QTY	FORMA	Т#	SIZE	QTY	/ FC	RMAT#		SIZE	QTY	FORMAT	Т#
7 x 5				14 x 10					20 x 14			
	ed For Forr Warning	ical Name: mats 1,2 & 3 Statement: mats 1,2 & 3										
Data Need		net Organs: mats 1,2 & 3										
		r Mix With: ormat 1 only										
Data Ne		ance/Odor: ormat 1 only										
	ATING: eded For 1, 2 & 3	Health	F	ire	Instabi	lity	Specific					
		PMENT REQ mats 1,2 & 3		oose Corre	espondir	ng Letter	For PPE E	Below:				
PPE: 1 PPE: 2		A A	. Safety Glass	Ų	J	ubber Glov	es Ey		ce Shield		J. Chemical Suit	
PPE: 3 PPE: 4 PPE: 5		<b>B</b> .	Chemical Go	ggles (50	<b>E.</b> S.	C.B.A		<b>H.</b> Dus	st Mask		K. Chemical Boots/Gloves	
PPE: 6		C.	Rubber Boots	s J	<b>F.</b> Ap	ron		I. Res	pirator		<b>L.</b> Eyewash/Show	ver
FIRST AI Data Nee	ded For	Eyes:										
· Gilliaid		Skin:										
		Ingestion:										
		Inhalation:										
		DOT CLAS	SS		DOT II	<b>D</b> #			CAS#			
Data Nee Formats	eded For 1 & 3 Only											
			) SPACE EN EQUIRED ()				RGENCY STANCE#					



# **Hazardous Communication (RTK)**



#### **Hazardous Material** Label

#### Hazardous Material Labels

Clear identification of hazardous chemicals

Catalog Number

- Pressure sensitive
- Easy to apply
- Black legend on yellow background

#### **B-928 Pressure Sensitive Vinyl Labels**

Size	Standard pkg. 25
3 <sup>3</sup> / <sub>4</sub> " x 4 <sup>1</sup> / <sub>2</sub> "	



**Hazardous Material Sign** 

Catalog Number

#### **▶** Hazardous Material Signs

- Most signs include the NFPA Code Number 704M for Hazardous Information
- Clear identification of hazardous chemicals
- Resistant to vapors or spills
- · Red legend on white background

#### **B-120 Fiberglass Sign**

Size	
10" x 7"	

Chemical information from the Department of Transportation Guidebook for Hazardous Materials Incidents (DOT 5800.4-1987)

Chemical	Catalog Label	Number Sign	Chemical	Catalog Label	Number Sign	Chemical	Catalog Label	Number Sign
ACETALDEHYDE	93475		DIETHYLENE TRIAMINE	93525		NITROGEN PEROXIDE	93578	
ACETIC ACID, GLACIAL	93476	48840	DIETHYL SULFATE	93526		NITROGEN TRIOXIDE	93579	
ACETONE	93477	48841	DIMETHYL ETHER	93527		NITROPHENOL	93580	
ACETONITRILE	93478	.00.1	DIMETHYL SULFIDE	93528		NITROGEN, LIQUID	93581	48883
ACETYLENE	93479	48842	ETHYL ACETATE	93529	48863	OXYGEN, COMPRESSED	93582	48884
ACID, LIQUID N.O.S.	93480	.00.2	ETHYL ALCOHOL (ETHANOL)	93530	48864	PARALDEHYDE	93583	.000.
ACRYLIC ACID	93481	48843	ETHYLAMINE	93531	10001	PENTANE	93584	
ACRYLONITRILE, INHIBITED	93482	10010	ETHYLBENZENE	93532		PERCHLOROETHYLENE	00001	
ALLYL ALCOHOL	93483		ETHYL CHLORIDE	93533		(TETRACHLOROETHYLENE)	93585	
ALLYL BROMIDE	93484		ETHYLENE GLYCOL	93534	48865	PHENOL	93586	48885
ALLYL CHLORIDE	93485		ETHYL ETHER (DIETHYL ETHER)	93535	10000	PHOSGENE	93587	10000
ALLYL CHLOROFORMATE	93486		ETHYLENEDIAMINE	93536		PHOSPHORIC ACID	93588	48886
ALUMINUM CHLORIDE	93487	48844	ETHYL METHYL ETHER	93537		PHOSPHOROUS TRICHLORIDE	93589	10000
AMMONIUM DICHROMATE	93488	10011	ETHYL METHYL KETONE	93538		PHOSPHORYL CHLORIDE	93590	
AMMONIUM HYDROXIDE	93489	48845	ETHYL NITRITE	93539		PHTHALIC ANHYDRIDE	93591	
AMMONIUM PERSULFATE	93490	40043	FLUOROBORIC ACID	93540		PICRIC ACID	93592	
ANHYDROUS AMMONIA	93491	48846	FORMALDEHYDE SOLUTION	93541		POTASSIUM HYDROXIDE	93593	48887
ARGON GAS	93492	10010	FORMIC ACID	93542	48866	POTASSIUM PERCHLORATE	93494	48888
BENZALDEHYDE	93493	48847	FUEL OIL	93543	48867	POTASSIUM PERMANGANATE	93595	48889
BENZENE	93494	48848	GASOLINE	93544	48868	POTASSIUM PERSULFATE	93596	+0000
BENZYL CHLORIDE	93495	10010	HEPTANE	93545	48869	PROPANE GAS	93597	48890
BLEACH	93496		HEXANE	93546	48870	PROPIONALDEHYDE	93598	40000
BORON TRIFLUORIDE	93497		HYDROCHLORIC ACID	93547	48871	PROPIONIC ANHYDRIDE	93599	
BROMINE	93498	48849	HYDROFLUORIC ACID	93548	48872	PROPYL ACETATE	93725	
BUTANE	93499	48850	HYDROGEN PEROXIDE, 52%	93549	48873	PROPYLAMINE	93726	
BUTANOL	93500	48851	HYDROGEN SULFIDE	93550	40013	PROPYLENE	93727	
CALCIUM CHLORIDE	93501	48852	HYDROFLUORSILICIC ACID	93551	48874	PROPYLENE DICHLORIDE	93728	
CALCIUM HYPOCHLORITE	93502	48853	ISOPROPANOL	93552	48875	PYRIDINE	93729	
CALCIUM OXIDE	93503	40000	ISOPROPYL ACETATE	93553	48876	SILVER NITRATE	93730	
CARBON DIOXIDE	93504	48854	ISOPROPYL ALCOHOL	93554	40070	SODIUM CHLORATE	93731	
CARBON DISULFIDE	93505	48855	ISOPROPYLAMINE	93555		SODIUM CYANIDE	93732	
CARBON TETRACHLORIDE	93506	48856	ISOPROPYL FORMATE	93556		SODIUM DICHROMATE	93733	
CAUSTIC LIQUID, N.O.S.	93507	40000	KEROSENE	93557	48877	SODIUM HYDROXIDE	93734	48891
CAUSTIC POTASH	33301		LACQUER	93558	40011	SOLVENT N.O.S.	93735	40031
(POTASSIUM HYDROXIDE)	93508	48857	LIQUEFIED NATURAL GAS	93559		SULFURIC ACID	93736	
CAUSTIC SODA	33300	40001	LITHIUM HYDRIDE	93560		SULFURYL CHLORIDE	93737	
(SODIUM HYDROXIDE)	93509	48858	MAGNESIUM PERCHLORATE	93561		TETRACHLOROETHYLENE	93738	
CHLORINE	93510	48859	MALEIC ANHYDRIDE	93562		TETRAHYDROFURAN	93739	
CHLOROACETYL CHLORIDE	93511	+0000	MERCURY	93563	48878	THINNER	93740	
CHLOROBENZENE	93512		METHACRYLIC ACID	93564	40010	THIONYL CHLORIDE	93741	
CHLOROFORM	93513	48860	METHANOL	93565	48879	TITANIUM TETRACHLORIDE	93742	
CHROMIC ACID, SOLID	33313	40000	METHYL BROMIDE	93566	40013	TOLUENE	93743	48892
CHROMIUM ANHYDRIDE	93514	48861	METHYL CHLORIDE	93567		TRIBUTYLAMINE	93744	40002
CUMENE	93515	40001	METHYLENE CHLORIDE	33301		1, 1, 1, TRICHLOROETHANE	93745	48893
CYANIDE, INORGANIC N.O.S.	93516		(DICHLOROMETHANE)	93568		TRICHLOROETHYLENE	93746	48899
CYLOHEXYLAMINE	93517		METHYL ETHYL KETONE	93569	48880	TRICHLOROSILANE	93747	10000
DECANE	93518		MIXED ACID	93570	70000	TRIETHYLAMINE	93748	
DIAMYLAMINE	93519		MURIATIC ACID	93571	48881	TURPENTINE	93749	48894
DIBUTYL ETHER	93520		NAPHTHA	93572	10001	UNLEADED GASOLINE	93750	48895
DICHLOROMETHANE	93521		NICKEL CARBONYL	93573		VANADIUM TETRACHLORIDE	93751	70090
DIESEL FUEL	93521	48862	NICKEL CHLORIDE	93573		VINYL ACETATE	93751	48896
DIETHYLAMINE	93523	T0002	NITRIC ACID	93575	48882	VINYL CHLORIDE	93753	48897
DIETHYL ETHER	93524		NITRIC ACID	93576	70002	XYLENE	93754	48898
DIETITIE ETITEN	33324		NITROBLINZENE	93577		ALLENE	33134	40030

The warnings contained on the labels produced by Brady Worldwide, Inc. are based on information contained in the 1987 Emergency Response Guidebook published by the U.S. Department of Transportation (and in the Hazardous Chemicals Data Guidebook published by the National Fire Protection Association). Brady Worldwide, Inc. has not performed any specific assessment or evaluation of the information contained and makes no warranties, expressed or implied, as to the accuracy or adequacy of that information.





#### NFPA Diamond Format

The NFPA Diamond format utilizes the National Fire Protection Association (NFPA) hazardous material signal (Code Number 704M). This "diamond" indicates health, fire, reactivity and specific hazard information using numerical ratings. At the bottom of the label is a "Personal Protection" area for pictograms.



#### ▶ HMIG Color Bar Format

The HMIG Color Bar Format indicates health, fire, reactivity and specific hazard information using numerical ratings. At the bottom of this label is a "Personal Protection" area for pictograms.




- 1 MATERIAL CST1055
  - □ B-302 Pressure Sensitive Indoor/Outdoor Polyester
- 2 SIZE (Select appropriate size)
  - ☐ 3" x 5" (NFPA)
  - ☐ 5" x 3" (New Color Bar)
  - □ 5" x 7"
  - □ 7" x 10"
- 3 COLOR

Standard white with NFPA colors

4 FORMAT



☐ HMIG Color Bar Format with health, fire, reactivity and specific hazard using numbering system



□ NFPA Format The national

 Fire Protection
 Association hazardous
 material signal - diamond

5	<b>PICTOGRAMS</b> (Select pictos to be included on bottom of
	label.) Or apply pictograms sold separately on page 262.































6	CONTACT your local Brady Distributor to place your order

#### **DISTRIBUTOR BILLING LOCATION**

Distributor Name	
Distributor Address	
P.O. Number	
C M	
DL	
Fax	

#### **SHIPPING LOCATION**

Your Name/Title Company Name		
Address		
Attn.		
P.O. Number		
Ship via (FOB Milwaukee):	□ Overnight Air □ UPS	□ 2nd Day Air □ Other

**FAX to your Local Brady Distributor** 





#### **Arc Flash Labels**

Brady offers a variety of stock label formats. Basic Warning and Danger labels meet all OSHA and NFPA requirements, or for more complete accident prevention use Write-On or Preprinted Labels and fill in the equipment-specific hazard information.

#### Basic Arc Flash Labels

- Meets current NEC labeling requirements.
- Industrial-grade adhesive sticks permanently to a wide variety of surfaces
- Made of durable B-302 Polyester with overlaminate to withstand harsh environments

# There's More Online www.bradyid.com

2" x 4" Arc flash & shock hazard

# WARNING

**ARC FLASH & SHOCK HAZARD** 

Appropriate personal protection equipment required

SERIALIW. # 101519 BRADYID.COM Y435418

Catalog #	Qty.	Header	Size
101517	100/roll	WARNING	2" x 4"
101519	10/pack	WARNING	2" x 4"
101518	100/roll	DANGER	2" x 4"
101520	10/pack	DANGER	2" x 4"

3.5" X 6" Bilingual text (english/spanish)



Catalog #	Qty.	Header	Size
102311	100/roll	WARNING	3½" x 6"
101954	5/pack	WARNING	3½" x 6"
102312	100/roll	DANGER	3½" x 6"
101955	5/pack	DANGER	3½" x 6"

# **NEW Basic Arc Flash Labels**

3.5" x 5" Text & pictogram



Catalog #	Qty.	Header	Size
102307	100/roll	WARNING	3½" x 5"
101950	5/pack	WARNING	3½" x 5"
102308	100/roll	DANGER	3½" x 5"
101951	5/pack	DANGER	3½" x 5"

3.5" x 5" Text Only



Catalog #	Qty.	Header	Size
102309	100/roll	WARNING	3½" x 5"
101952	5/pack	WARNING	3½" x 5"
102310	100/roll	DANGER	3½" x 5"
101953	5/pack	DANGER	3½" x 5"

#### Write-On Arc Flash Labels

- Write-in areas for equipment-specific information such as flash protection boundary, hazard category, and required PPE
- B-933 Vinyl can be written on with a pen or marker

4" x 6" Arc flash hazard only; checkboxes



Catalog #	Qty.	Header	Size
99460	10/pack	WARNING	4" x 6"
99461	10/pack	DANGER	4" x 6"

5" x 7" Arc flash & shock hazard: checkboxes



Catalog #	Qty.	Header	Size
99458	10/pack	WARNING	5" x 7"
99459	10/pack	DANGER	5" x 7"







#### Arc Flash Labeling Requirements Introduced in the 2002 Edition of the National Electric Code

- EMPLOYERS, not manufacturers or installers, are responsible for complying with NEC labeling requirements
- Switchboards, panel boards, industrial control panels, meter socket enclosures and motor control centers must be field marked. Many companies are also marking conduits, disconnect switches and any other equipment where the risk of arc flash exists
- Any equipment installed after 2002 needs to be labeled. For equipment installed before 2002, labeling must be applied if any modifications or upgrades take place. Many employers are taking the safe, efficient approach of labeling all their electrical equipment, regardless of when it was installed



#### Arc Flash Labels with Preprinted Hazard Categories

- Labels come with the hazard category and PPE requirements preprinted
- · Write-in areas for specifics such as max arc rating, flash protection boundary, etc.
- B-933 Vinyl can be written on with a pen or marker

7" x 5" Arc flash & shock hazard; table



Catalog #	Qty.	Header	Size
99462	5	WARNING	7" x 5"
99463	5	DANGER	7" x 5"

Arc flash hazards and PPE requirements can vary depending on whether the panel door or cover is open. this format allows you to specify different ratings based on the type of task to be performed.



A W	/A	RNING
		sh Hazard PPE Required
Flash Protection Boundary_ Flash Hazard Category	3	Min. Arc Rating (cal/cm²)
Flash Protection Equip	ment	

4" x 6" Arc flash hazard only

Equipment ID:

Catalog # Header Hazard Size(in.) Qty. Category 4" x 6" 99478 5 WARNING -1 99480 5 WARNING 0 4" x 6" 99482 WARNING 5 4" x 6' 1 99484 5 WARNING 2 4" x 6" 99421 5 WARNING 2\* 4" x 6" 99486 5 WARNING 3 4" x 6" 99488 5 WARNING 4 4" x 6" 4" x 6" 99479 5 DANGER -1 4" x 6" 99481 DANGER 0 5 99483 5 4" x 6" DANGER 99485 5 DANGER 4" x 6' 99622 5 DANGER 2\* 4" x 6" 99487 5 3 4" x 6" DANGER 99489 5 DANGER 4 4" x 6"

Identifies maximum arc flash hazard. Available for Hazard Categories -1 thru 4.

5" x 7" Arc flash & shock hazard



Catalog #	Qty.	Header	Hazard Category	Size (in.)
99464	5	WARNING	-1	5" x 7"
99466	5	WARNING	0	5" x 7"
99468	5	WARNING	1	5" x 7"
99470	5	WARNING	2	5" x 7"
99472	5	WARNING	2*	5" x 7"
99474	5	WARNING	3	5" x 7"
99476	5	WARNING	4	5" x 7"
99465	5	DANGER	-1	5" x 7"
99467	5	DANGER	0	5" x 7"
99469	5	DANGER	1	5" x 7"
99471	5	DANGER	2	5" x 7"
99673	5	DANGER	2*	5" x 7"
99475	5	DANGER	3	5" x 7"
99477	5	DANGER	4	5" x 7"

Identifies maximum arc flash hazard. Available for Hazard Categories -1 thru 4



#### **Protective Overlaminate for Write-On Labels**

1.5 mil clear polyester overlaminate sheets help protect handwritten data on vinyl labels from chemicals and abrasion. Sheets have an acrylic lay-flat liner

Catalog #	Size (in.)
99272	4½" x 6½
99276	5½" x 7½"



# **NEW Arc Flash Training Aids**

- Promote awareness of the dangers associated with arc flash accidents
- Make sure your workers know how to protect themselves



#### Poster

- Highlights the common causes of arc flash and provides safe work practices and personal protection equipment requirements
- · Laminated on both sides to stand up to industrial environments
- Full-color printing and eye-catching graphics for optimum visual impact

Catalog #	Qty.	Size
104571	1	18" x 24"



# Arc Flash Protection

Risk Category	Protective Clothing & Equipment FR = Flame Resistant	rating (cal/cm²)
0	Long-sleeve shirt and long pants (natural fibers)	N/A
	Safety glasses	
1	FR shirt and pants (or FR coverall)	4
	Hard hat	
	Safety glasses	
	Leather gloves and shoes (as needed)	
2+	Cotton underwear	- 8
	FR shirt and pants (or FR coverall)	
	Hard hat	
	Safety glasses or goggles	
	Arc-rated face shield or flash suit hood	
	Hearing protection	
	Leather gloves and shoes	
3	Cotton underwear	25
	FR shirt and pants plus FR coverall	
	Flash suit hood and hard hat	
	Safety glasses or goggles	
	Hearing protection	
	Leather gloves and shoes	
- 4	Cotton underwear	40
	FR shirt and pants (or FR coveralls)	
	Full flash suit with hood	
	Hard hat	
	Safety glasses or goggles	
	Hearing protection	
	Leather gloves and shoes	
	tuations, a flash suit hood is required for Hazard d option). For more information, see NFPA 70E.	Category 2

#### Sign & Label

- Post signs and labels in the work area and near electrical equipment to boost awareness and compliance
- Signs and labels specify the personal protection equipment required for each arc flash category
- Sign: BradyTuff™ B-401 rigid plastic, laminated graphics, sold individually
- Label: Self-sticking B-302 polyester with overlaminate, available in 5 packs

Catalog #	Qty.	Size	Desc.
102523	1	10" x 14"	Sign
102524	5	3.5" x 5"	Label


#### **Energized Electrical Work Permit**

				E:
EQUIPMENT ID / LOCATION:				
WORK DESCRIPTION:				
JUSTIFICATION FOR WORKIN	IG LIVE:			
HAZARD INFORMATION	ON			
VOLTAGE HAZARD (VOLTS)		FLASH PRO	TECTION BOUNDARY:	
FLASH HAZARD CATEGORY			PROACH BOUNDARY:	
MIN ARC RATING (CAL/CM)			APPROACH BOUNDARY:	
OTHER HAZARDS:		PROHIBIT A	PPROACH BOUNDARY:	
REQUIRED PROTECT	IVE EQUIPMENT			
☐ COTTON UNDERWEAR	☐ FR SHIRT	☐ FLASH HOOD	☐ SAFETY GLASSES	☐ CLASSGLOVE
□ T-SHIRT	☐ FR PANTS	☐ HARD HAT	☐ SAFETY GOGGLES	□V-RATED TOOL
☐ LONG SLEEVE SHIRT	☐ FR COVERALL	☐ ARC FACE SHIELD	□ LEATHER GLOVES	0
☐ LONG PANTS	☐ FLASH SUIT	☐ EAR PROTECTION	☐ LEATHER SHOES	0
PROCEDURES & PRE				
MEANS OF RESTRICTING UN EMERGENCY RESPONSE INF AUTHORIZATION & A	ORMATION:			
EMERGENCY RESPONSE INF  AUTHORIZATION & A  • Only the personnel listed beling to be performed on or near electrosed on the personnel listed beling to the personnel of the personnel listed beling the	ORMATION:  PPROVAL  ow are authorized to perfore  uposed five parts without  an be performed safely as	on the work described in this prior written approval. • By In described in the above proce	penril. • No work other than th	ne tasks described sonnel lated below
EMERGENCY RESPONSE INF  AUTHORIZATION & A  • Only the personnel fisted bell may be performed on or near advanceledge that 1) the work or and 3) they have been fully bris and 3) they have been fully bris	ORMATION:  PPROVAL  ow are authorized to perfore spood the parts without an be performed safely as fed and understand the p	arm the work described in this prior written approval. • By In I described in the above proce otential hazards.	penril. • No work other than It Halog this work penril, the per dures, 2) they are qualled to p	re tasks described sonnel listed below enform energized electrical wo
EMERGENCY RESPONSE INF  AUTHORIZATION & A  • Only the personnel listed beling to be performed on or near electrosed on the personnel listed beling to the personnel of the personnel listed beling the	ORMATION:  PPROVAL  ow are authorized to performed agency and be parts without an ball performed agency fed and understand the p	nm the work described in this orior writion approval. • By In described in the above proce oternial hezards.  DATE:	perrit. • No work other than It Haling this work perrit; the per duties, 2) they are qualified to p	re tasks described sonnel lated below enform energized electrical wo
EMERGENCY RESPONSE INF  AUTHORIZATION & A  • Only the personnel listed between years be performed on or near e advanced cape that 1) the work or and 3) they have been fully trist NAME:	ORMATION:  PPROVAL  ow are authorized to perfu  uposed the parts without  an be performed safely as  fied and understand the p	om the work described in this orlor witten approval. • By In described in the above proce oterrial historia.  DATE:  DATE:	pecrit. • No work other than It Bidge this work permit, the per durse, 2) they are qualified to p NITIA NITIA	re tasks described scennel based below enform energized electrical wo LS:
EMERGENCY RESPONSE INF AUTHORIZATION & A  Only the personnel listed bet may be performed on or near a advantage that 1) the work or and 3) they have been fully brie NAME: NAME:	ORMATION:  PPROVAL  ow are sufforized to perfore the performation of the performation	em the work described in this inter withen approval. • By In described in the above proceed to the above proceed t	pecril. • No work other than It Bisling this work permit, the per duries, 2) they are qualified to p NITIA NITIA NITIA	re tasks described scannel band below enform energized ejectrical wo LS: LS:
EMERGENCY RESPONSE INF AUTHORIZATION & A  Only the personnel listed between the performance on read a calconduction of 11 the work. Can and 31 they have been fully trie. NAWIE: NAWIE: NAWIE: NAWIE:	ORMATION:  PPROVAL  ow are sufforized to perfore the performation of the performation	em the work described in this into within approval. • By In Cases that In the owner of the case that In the owner of the case that I have proved the case that I have been proved to the case that I have been pro	permit. * No work other than III Hisling this work permit, the per dures, 2) they are qualified to p  NITIM  NITIM  NITIM  NITIM	te tasks described scored lated below efform energized ejectribal wo LS: S: LS: LS:
EMERGENCY RESPONSE NIF  AUTHORIZATION & A  Only the personnel issed between the personnel issed between the personnel issed between the personnel in the work or and 33 they have been fully trie.  NAME:  NAME:  NAME:	ORMATION:  PPROVAL  ow are sufforized to perfore the performation of the performation	em the work described in this into within approval. • By In Cases that In the owner of the case that In the owner of the case that I have proved the case that I have been proved to the case that I have been pro	permit. * No work other than III Hisling this work permit, the per dures, 2) they are qualified to p  NITIM  NITIM  NITIM  NITIM	te tasks described scored lated below efform energized ejectribal wo LS: S: LS: LS:
EMERGENCY RESPONSE NF AUTHORIZATION & A  Only he personnel listed site and/so performed on or easi a advisorable(sp that 1) the work or and 3) they have been fully trie NAME: NAME: NAME: NAME: NAME: NAME: NAME:	ORMATION:  PPROVAL  ow are authorized to perfix  proposed by parts without in  no performed salely as  feld and understand the p	mm the work described in this tracks written approval. * By In described in the above proceed to the above proceed	perrii. • No wak other fram II IIII pits isori perrit. 5e per dures, 2) they are qual-Hed to p NITI4 NITI4 NITI4 NITI4 NITI4	te tasks described scornel bited below sertorm energized ejectrical wo LS: LS: LS: LS: LS: LS:
EMERGENCY RESPONSE NF AUTHORIZATION & A  • Only he personnel listed site and so performed on or near a advisceledge that 1) the work or and 3) they have been fully trie NAME: NAME: NAME: NAME: NAME: NAME: NAME: NAME: NAME:	ORMATION:  PPROVAL  we are authorized to perform a proposed he parts without proposed he parts without per the performed satisfy as feed and understand the p	em the work described in this rater entires apposed. * By Ini described in this shore proceed to the shore proceed	perrii. • No wak other fram II IIII pits isori perrit. 5e per dures, 2) they are qual-Hed to p NITI4 NITI4 NITI4 NITI4 NITI4	te tasks described scornel bited below sertorm energized ejectrical wo LS: LS: LS: LS: LS: LS:
EMERGENCY RESPONSE NIF  AUTHORIZATION & A  • Only the personnel Band size  solves legislated on or man is  solves legislated on or man is  solves legislated in the cook of  solves legislated in the cook of  NAME:  NAME:  NAME:  APPROVED BY  NAME:	ORMATION:  PPROVAL  we are authorized to perform a proposed he parts without performed satisfy and an appartment statisfy and sunderstand the p	em the work described in this inche with supposed. • By in the withen apposed. • By in the withen apposed in this above proceed for the above proceedings of the abo	pemini. • No was other than it is tableg the soil permit. The per duties, 2) they are qualitated to the permit the per permit the pe	ne tasks described control band below arban oneighted described we described oneighted we describe
EMERGENCY RESPONSE NIF AUTHORIZATION 8. A. C-Up the second lised set may be performed on or man e may be performed by maker  NAME: NAME: NAME: NAME: NAME: THUE:	ORMATION:  PPROVAL  we are authorized to perfet proced by parts without an object of the performed satisfy as feed and understand the p	em the work decodered in the forther withen approach. It is for the withen approach in the forther withen approach in the process of the forther approach in the above proceeders will hearen't.  DATE:	pemini. • No was other than it is tableg the soil permit. The per duties, 2) they are qualitated to the permit the per permit the pe	ne tasks described sonnel lated below
EMERGENCY RESPONSE NET AUTHORIZATION & A Oth the pressored listed six and \$1 the year of the control of the con	ORMATION:  PPROVAL  over a substitute to prefer  the parts without  the parts without  end and and without  end and without	em the work decodered in this note waters approach. If you can be seen approach. If you can be seen approach as you can be seen approached the above proceeders will heare the DATE:  DATE:  DATE:  DATE:  DATE:  DATE:  DATE:  DATE:  DATE:	pomit, * No work other fram in that the present of	the table described control bank tables control bank tables conform energized electrical act is in the conform energized electrical act is in the conform energized electrical act is in the conformation energized electrical act is in the conformation energized electrical elec

#### Work Permit

- Meets NFPA 70E 130.1(A) requirements which mandate the use of written permit when performing live electrical work
- 25 permits per pack
- · 2-ply carbonless copy paper

Catalog #	Qty.	Size	Desc.	_
99287	25	8.5" x 11"	Permit	



#### Wallet Card

- Ensure compliance and safety by providing each employee with their own arc flash wallet card
- Card specifies the personal protection equipment required for each arc flash
- Made of laminated cardstock, two-sided printing

Catalog #	Qty.	Size	Desc.
102525	10	2.1" x 3.4"	Card



# "Mr. Ouch" Transformer Markings ONEMA

- National Electrical Manufacturers Association (NEMA) recommends use of "Mr. Ouch" labels on transformers located in public areas
- Meets both NEMA Standard and Underwriters Laboratory Performance Standard #969
- Made from B-927 tamper-resistant film to prevent defacing and vandalism
- Permanent pressure sensitive acrylic adhesive provides strong bond to steel and other clean, dry surfaces













8" x 4½" - 46347



"Mr. Ouch" Transformer Markings effectively warn children to stay away from pad mounted transformers.



# **Conduit & Voltage Markers**



Alert employees to potentially dangerous machinery or energized equipment using bright orange Conduit and Voltage Markers.

- Orange markers meet ASME (ANSI) Standard ZG3.22
- Broad selection of stock legends available
- Choose from three size/style options listed below
- Cards sold individually



#### Style A D Card Styles (Markers Per Card)



Style B

4 Markers Per Card – (Style B) Marker Size - 11/8" x 41/8" Character Height - 7/8"

• 1 Marker Per Card – (Style A) Marker Size - 21/4" x 9" Character Height - 17/8"

• 18 Markers Per Card – (Style C) Marker Size - 1/8" x 21/4" Character Height - 5/16"

Catalog Number			
Legend	Style A 1 Marker/ Card	Style B 4 Markers/ Card	Style C 18 Markers/ Card
110 Volts	44101	44201	44301
115 Volts	44102	44202	44302
120 Volts	44104	44204	44304
120/208 Volts	44159	44259	44359
208 Volts	44106	44206	44306
220 Volts	44107	44207	44307
230 Volts	44108	44208	44308
240 Volts	44110	44210	44310
277 Volts	44112	44212	-
277/480 Volts	44160	44260	44360
440 Volts	44113	44213	44313
460 Volts	44114	44214	44314
480 Volts	44115	44215	44315
600 Volts	44118	44218	-
4160 Volts	44122	44222	-
See additional lege	ends on page 365.		

Catalog Number			
Legend	Style A 1 Marker/ Card	Style B 4 Markers/ Card	Style C 18 Markers/ Card
13,200 Volts	44151	-	-
AC	44127	44227	44327
DC	44138	44238	44338
Emergency Service	-	-	44328
Power	44132	44232	44332
Single Phase	44129	44229	44329
Three Phase	44131	44231	44331
See additional legend	ds on page 365.		

**ASME (ANSI) ZG3.22** 

Orange. Orange shall be used as the basic color for designating dangerous parts of machines or energized equipment which may cut, crush, shock, or otherwise injure.









# All The GFCI Products are Manufactured to the Following Specs:

- Class "A" GFCI, 4-6mA trip level
- Open neutral position (as required by UL)
- Rating: 125V AC 60Hz 15A
- Surge suppression: 13 joules
- Insulation voltage: 1500 V RMS 1 minute
- · Rainproof and impact resistant, suitable for indoor and outdoor use
- Auto reset after interruption of primary power source (manual reset required after ground fault occurrence)

#### **▶** 3-Wire Single Outlet GFCI **Adaptor Plug**

- UL, CUL approved
- 125V / 15A
- NEMA 5-15 P&R

Catalog Number 51795



#### ▶ Triple Tap With GFCI **Right Angle Plug**

- UL, CUL approved
- 125V / 15A
- NEMA 5-15 P and (3) 5-15 R
- 2 ft., 12/3 AWG SJTW cord

Catalog Number 51797





#### Triple Tap With In-Line GFCI

- UL, CUL approved
- 125V / 15A
- NEMA 5-15 P and (3) 5-15 R
- 3 ft., 12/3 AWG SJTW cord

Catalog Number

# ▶ Right Angle GFCI Pigtail

- UL, CUL approved
- 125V / 15A
- NEMA 5-15 P&R
- 9 in., SJTW, 12/3 AWG cord

Catalog Number 51796

# Battery Cleaning & Charging Safety Kit

- Help minimize the risk of employee acid burns or shocks while charging batteries
- Fully equipped portable kit includes the following: one pair of large unsupported neoprene over natural rubber gloves; one pair of clear chemical goggles with indirect ventilation; one black rubber apron, 45" x 35"; one 8" synthetic brush for heavy duty scrubbing; two 91/4" x 141/2" chemical sorbent pads for small spills, wiping and clean up; one quart neutralizing and cleaning agent with trigger sprayer; one laminated instruction card to remind employees of safe practices and procedures



Description	<b>Catalog Number</b>
Battery cleaning & charging kit	BCK



#### **▶** Fuse Puller with Testlite

- Handy pocket-sized tool provides maximum safety when pulling cartridge fuses or checking electrical connections
- One end is a fuse puller, opposite end has test prods that fit both parallel and tandem slot receptacles
- Use on fuses up to 100A/250V. and 60A/600V.

#### **▶** Safe-T-Grip<sup>®</sup> Fuse Pullers

- · Provides maximum convenience when removing or replacing cartridge fuses
- Notched handles for no-slip grip
- · Clearly marked amperage ranges
- Exceeds MIL specifications

Catalog Number	Description
65281	(A) 8" long
65279	(B) For 9/32"-1/2" diameter fuses: 5" long
65280	(C) For 0-100A, 250V & 600V: 7 <sup>1</sup> / <sub>2</sub> " long

#### AC Sensor

- Selected by OSHA Electrical Technical Equipment Committee as the only instrument of its type for use by OSHA compliance officers to identify and cite electrical hazards of 50 volts or more
- Uses AAA battery

Catalog	Number
65269	

#### **▶** Powr-Glo<sup>™</sup> Pocket Tester

- Checks voltage from 70 to 440 AC without contact on electrical lines
- Unique sensor locates breaks along live, insulated wires and power cords; checks for energized AC circuits; distinguishes polarity; and detects leaks in ungrounded devices
- · Powered by 1.5v alkaline batteries

Catalog	Number
65271	

#### **▶ E-Z Check® Plus GFI Circuit Tester**

 Checks for the following conditions: correct wiring, open ground, reverse polarity, open hot, open neutral, hot on neutral, hot and ground reversed with open hot, and ground fault interruption

Catalog Number 65273



Fuse Puller with Testlite (A) and Safe-T-Grip® Fuse Pullers (B, C)








# **▶** Hazardous Material Shipping Labels



Explosive Class	Catalog Number
1.1B	63481
1.1C	63482
1.1D	63483
1.1E	63484
1.1F	63485
1.1G	63486
1.1J	63487
1.1L	63488
1.2C	63489
1.2D	63490
1.2E	63491
1.2F	63492
1.2G	63493
1.2H	63494
1.2J	63495
1.2K	63496
1.2L	63497
1.3F	63498
1.3G	63499
1.3H	63500
1.3J	63501
1.3K	63502
1.3L	63503
1.4C	63504
1.4D	63505
1.4E	63506
1.4F	63507
1.4G	63508
1.4S	63509



- Shipping Labels insure all domestic and foreign hazardous material shipments reach their destinations without costly delays or rejections
- Meets D.O.T. requirements HM-181 Regulation
- New composite plastic material offers extreme weatherability so label colors stay bright
- Labels withstand temperatures of -50° F to 150° F
- Super tacky adhesive permanently bonds to most surfaces (including low energy surfaces such as polyethylene bags)
- Label size: 4" x 4"
- Standard package: 500 labels per roll

63479



63478

63476

63477

63475

# **▶ Custom Hazard Material Shipping Labels**

- Let Brady custom print your extended tab shipping labels with a specified shipping name and UN number
- Made from heavyweight, coated paper (B-235)
- Standard package: 500 labels per roll
- One shipping name per roll
- Size: 43/4" x 4"
- Minimum order: 5 rolls

Extended tab provides easy recognition of specific chemical and UN number.



#### **ORDER CST1057**

Call your local Brady distributor for pricing.

#### HAZARD CLASS 2- Flammable and Non-Flammable Gases, Toxic/Poison







Shipping Name \_\_\_\_\_ UN Number \_\_\_\_



Shipping Name \_\_\_\_\_ UN Number \_\_\_\_ Qty. Rolls \_\_\_\_



Shipping Name \_\_\_\_\_ UN Number \_\_\_\_\_ Qty. Rolls\_\_\_\_\_



Shipping Name \_\_\_\_\_ UN Number \_\_\_\_\_ Qty. Rolls



Shipping Name \_\_\_\_\_ UN Number \_\_\_\_\_ Otv. Rolls

#### **HAZARD CLASS 3- Flammable Liquids**



Shipping Name \_\_\_\_\_ UN Number \_\_\_\_ Qty. Rolls\_\_\_\_

#### **HAZARD CLASS 4- Flammable Solids**



Shipping Name \_\_\_\_\_ UN Number \_\_\_\_\_ Qty. Rolls\_\_\_\_\_



Shipping Name \_\_\_\_\_ UN Number \_\_\_\_ Qty. Rolls\_\_\_\_



Shipping Name \_\_\_\_\_ UN Number \_\_\_\_ Qty. Rolls\_\_\_\_

#### HAZARD CLASS 5- Oxidizer/Organic Peroxide



Shipping Name \_\_\_\_\_ UN Number \_\_\_\_\_ Qty. Rolls\_




Shipping Name \_\_\_\_\_ UN Number \_\_\_\_ Qty. Rolls\_\_\_\_

#### **HAZARD CLASS 8- Corrosive**



Shipping Name \_\_\_\_\_ UN Number \_\_\_\_ Oty. Rolls

#### **HAZARD CLASS 9- Miscellaneous**



Shipping Name \_\_\_\_\_ UN Number \_\_\_\_\_ Qty. Rolls\_

#### HAZARD CLASS 6- Toxic/Poison & Infectious Substances



Shipping Name \_\_\_\_\_ UN Number \_\_\_\_\_ Qty. Rolls\_\_\_\_\_



Shipping Name \_\_\_\_\_ UN Number \_\_\_\_\_ Qty. Rolls\_



Shipping Name \_\_\_\_\_ UN Number \_\_\_\_\_ Qty. Rolls\_\_\_\_\_



Shipping Name \_\_\_\_\_ UN Number \_\_\_\_\_ Qty. Rolls \_\_\_\_\_



Shipping Name \_\_\_\_\_\_ UN Number \_\_\_\_\_ Qty. Rolls\_\_\_\_\_



# **Vehicle Placards**

- Placards meet D.O.T. Requirements HM-181 requirements
- B-946 self-sticking vinyl (SSV) placards may be applied directly to your vehicle and provide over 5 years outdoor durability
- B-120 fiberglass (FG) placards offer over 15 years outdoor durability. Use with Brady slide-in Placard Holders (sold on page ???)
- B-101 Economical 1.75 lb. polycoated tagboard (PT) placards exceed D.O.T.'s 30 day weather requirement
- Placards have square corners and no holes
- Placard size: 103/4" x 103/4"
- See Adhesive Diecut Numbers on next page for use on placards with blank space for 4-digit D.O.T. classification

Customize	lt
Contact your local Brady Distributor for more information	

Explosive

Class #	SSV	FG	PT
1.1A	63300	63335	63370
1.1B	63301	63336	63371
1.1C	63302	63337	63372
1.1D	63303	63338	63373
1.1E	63304	63339	63374
1.1F	63305	63340	63375
1.1G	63306	63341	63376
1.1J	63307	63342	63377
1.1L	63308	63343	63378
1.2B	63309	63344	63379
1.2C	63310	63345	63380
1.2D	63311	63346	63381
1.2E	63312	63347	63382
1.2F	63313	63348	63383
1.2G	63314	63349	63384
1.2H	63315	63350	63385
1.2J	63316	63351	63386
1.2K	63317	63352	63387
1.2L	63318	63353	63388
1.3C	63319	63354	63389
1.3F	63320	63355	63390
1.3G	63321	63356	63391
1.3H	63322	63357	63392
1.3J	63323	63358	63393
1.3K	63324	63359	63394
1.3L	63325	63360	63395
1.4B	63326	63361	63396
1.4C	63327	63362	63397
1.4D	63328	63363	63398
1.4E	63329	63364	63399
1.4F	63330	63365	63400
1.4G	63331	63366	63401
1.48	63332	63367	63402
1.5D	63333	63368	63403
1.6N	63334	63369	63404
CCV	D 04	6 Calf Ctial	ina Vinul


⊥.→∟		03323	03304	00000
1.4F		63330	63365	63400
1.4G		63331	63366	63401
1.4S		63332	63367	63402
1.5D		63333	63368	63403
1.6N		63334	63369	63404
	SSV	B-946	Self-Stickin	g Vinyl
	PT	B-101	Polycoated	Tagboard
	FG	B-120	Fiberglass	
//				


CLASS 1:				1.2H
Hazard Division 1.5 Compatibility	11/1/2			1.2J 1.2K
Group D		- // 37//		1.2L
1.5				1.3C
<b></b>	EXPLOSI	VES EXPLO		1.3F
SLASTING AGENTS	1.2L	1.2	B //	1.3G
D //	1/1	Hazard Division 1.2		1.3H
		Compatibility Group		1.3J
1		B, C, D, E, F, G, H		1.3K
	Hazard Division 1.3 Compatibility	J, K or L	Hazard Division	1.3L
	Group C, F,		1.3 Compatibility	1.4B
	G, H, J,		Group C, F, G, H, J,	1.4C
	K or L		K or L	1.4D 1.4E
	EXPLOSIV	/ES EXPLO	OSIVE >>	1.4E 1.4F
EXPLOSIVE	1.3L			1.4i
1.1A	1.31	1.3		1.4S
I.IA	1	1		1.5D
1		· · · · · · · · · · · · · · · · · · ·		1.6N
Hazard Division 1.1			Hazard Division	_
Compatibility Group A, B, C, D, E, F, G,		Hazard Division 1.4 Compatibility Group	1.5 Compatibility	
J or L		B, C, D, E, F, G or S	Group N	
	1.4	1	4 / 1.	6
			<b>-</b>	
EXPLOSIVES	EXPLOSIV	VE XPLO	SIVES X EXPLO	SIVE //
1.1L	B			
1.11			1	
1	1			
				r

CLASS 2: **FLAMMABLE** NON-FLAMMABLE **OXYGEN** INHALATION HAZARD SSV 63405 PT 63439 FG 63435 SSV 63406 PT 63440 SSV 60375 SSV 63408 SSV 60377 SSV 60376 SSV 63407 60391 63442 60393 63441 60392 63436 60407 63438 60409 63437 60408



**Use Vehicle** Placards to meet **D.O.T. Requirements** HM-181 Regulation.




























CLASS 7:

#### CLASS 8:






#### Adhesive Diecut Numbers

- Use with placards to indicate 4-digit DOT contents designation
- Made of B-933 vinyl with removable adhesive
- Character height: 31/2"
- Characters are black
- Sold individually

Legend	Catalog No.
1	51752
2	51753
3	51754
4	51755
5	51756
6	51757
7	51758
8	51759
9	51765
0	51766

#### FOR MIXED LOADS:



# Flip-Style Vehicle Placards



#### **Placards for Cargo Tanks**

- Flipping numerals give you the flexibility to set-up any 4-digit identification number in seconds
- Conveniently flip to a new number and placard when your load changes
- Durable, heavy-duty aluminum frame assures stability in the wind and saves money on placard replacement costs

#### Catalog Number: 63213 Legends Included

- Blank
- Flammable Gas 2
- Non-Flammable Gas 2
- Oxygen 2
- Inhalation Hazard 2

#### Catalog Number: 63214 Legends Included

- Blank
- Flammable 3
- Corrosive 8
- Combustible 3
- Poison 6



#### **Placards for Welding Supply** and Medical Vans

- Standard Flip-File Systems contain three or more panels in one frame
- Self-contained placards slide easily on four aluminum hinges
- Four stainless steel fasteners securely lock in your chosen legend
- Deep-formed aluminum frame provides stability and excellent wind protection

#### Catalog Number: 63200 Legends Included

- Flammable Gas 2
- Non-Flammable Gas 2
- Oxygen 2



#### **Placards for General Commodities**

- Flip-File Frame holds three placards i
- Approved for use by private and fleet carriers
- Available in one-piece or split frame versions

#### Catalog Number: 59955 One-piece Frame

- Explosive 1.4
- Blasting Agents 1.5d
- Flammable Gas 2
- Inhalation 2
- Non-Flammable Gas 2
- Flammable 3
- Spontaneously Combustible 4
- Dangerous When Wet 4
- Flammable Solid 4
- Oxidizer 5.1
- Organic Peroxide 5.2
- Inhalation 6
- Poison 6 Corrosive 8
- Misc. 9
- Dangerous
- Blank

#### Catalog Number: 59956 Split Frame

- Explosive 1.4
- Blasting Agents 1.5d
- Flammable Gas 2
- Inhalation 2
- Non-Flammable Gas 2
- Flammable 3
- Spontaneously Combustible 4
  Dangerous When Wet 4
- Flammable Solid 4
- Oxidizer 5.1
- Organic Peroxide 5.2
- Inhalation 6
- Poison 6
- Corrosive 8
- Misc. 9
- Dangerous
- Blank

Catalog Number	
63213	
63214	
63200	
59955 - Fixed frame	
59956 - Split unit for roll up doors	





- Slide-in Placard Holders make it easy to mount Brady fiberglass Vehicle Placards (sold on previous pages) to your vehicles
- Features Easy-Off guides over the retaining clip so placards slide without a hitch
- Available in three styles to meet your particular needs





2 Clipped Corners

Catalog No.	Description
60141	Brite Mill Finish w/Easy-Off Ramp Feature
60142	Brite Mill Finish/Split Frame & Easy-Off Feature
60143	Brite Mill Finish w/2 clipped corners and Easy-Off Feature



# **Hazardous Material Shipping**

#### **▶ Vehicle Conspicuity Tape**


The tape is available in roll form or prepackaged kits containing enough material to mark a trailer per the NHTSA Regulation. Rolls are sold in solid white, solid red, or alternating red and white. Part numbers and pricing for the rolls and kits are below:

- Meets NHTSA's rule under 49 CFR, Part 571 for enhanced visibility and detection
- B-752 diamond grade reflective material
- Available in rolls or precut kits
- Warrantied to perform for a minimum period of 7 years
- Presealed edges
- Meets NHTSA



#### National Highway Traffic Safety Administration 49 CFR Part 571

Summary: This notice requires that trailers which have an overall width of 80 inches or more and a GVWR of more than 20,000 pounds, except trailers manufactured exclusively for use as offices or dwellings, be equipped on the sides and rear with means for increasing their conspicuity. This will enhance the likelihood of their detection at night and under conditions of reduced visibility. Trailer manufacturers will be given a choice of installing either retroreflective sheeting or reflex reflectors. NHTSA estimates that incidence of accidents involving trailers struck in the side or rear by other vehicles could be reduced by 15 percent by enhancing conspicuity as required by this rule.



#### **Rolls**

Catalog Number	Size	Description
76434	2" x 50 yds	DOT-C2 Solid White
76435	2" x 50 yds	DOT-C2 Solid Red
76436	2" x 50 yds	DOT-C2 7" White/11" Red (Alternating Pattern)

ĸ	i	te
•	•	u

		2" x 75' Roll	2" x 18" Strips	2" x 12" Strips	2" 90" Strip	1-1/2" x 90" Strip		
Catalog		11" Red/7" White	Solid White	11" Red/7" White	11" Red/7" White	11" Red/7" White		
Number	Trailer Size		(Sides)	(Corners)	(Bumper or Door)	(Underride)	Squeegee	Instructions
76437	All Sizes	1 Roll		4 Strips			1 ea.	1 ea.
76438	53' - 57'		36 Strips	4 Strips	1 Strip	1 Strip	1 ea.	1 ea.
76439	45' - 48'		32 Strips	4 Strips	1 Strip	1 Strip	1 ea.	1 ea.
76440	Up to 28'		19 Strips	4 Strips	1 Strip	1 Strip	1 ea.	1 ea.

#### **Vehicle Signs**

- Meets NHTSA Rule 49 CR part 571
- B-946 Material







10 x 14 - 63211



10 x 14 - 63207



10 x 14 - 63210



10 x 14 - 63203



12 in.

14 x 10 - 63204

#### **WIDE RIGHT TURNS** AUTION

2 x 24 - 63208

# Hazardous Material Shipping Labels

- Shipping Labels insure all domestic and foreign hazardous material shipments reach their destinations without costly delays or rejections
- Meets D.O.T. Requirements HM-181 Regulation
- New composite plastic material offers extreme weatherability so label colors stay bright
- Labels withstand temperatures of -50° F to 150° F
- Super tacky adhesive permanently bonds to most surfaces (including low energy surfaces such as polyethylene bags)
- Standard package: 500 labels per roll



63239 - 4<sup>5</sup>/<sub>16</sub>" x 4<sup>3</sup>/<sub>4</sub>"



63241 - 39/16" x 45/16



63242 - 2" x 4"



63243 - 3" x 5"





#### **Hazardous Waste Labels**

- Labels comply with all current Federal regulations regarding identification of hazardous waste materials for transportation off-site
- Vinyl available in packs of 50 and 100
- Paper available in packs of 100

		Catalog Number		
Description	Size	Vinyl 50/pkg	Vinyl 100/pkg	Paper 100/pkg
(A) Hazardous Waste	6" x 6"	63268	60448	60442
(B) New Jersey Specific	6" x 6"	63272	60450	60444
(C) California Specific	6" x 6"	63273	60449	60443
(D) Non-Regulated Waste	6" x 6"	63274	60452	60446
(E) Non-Hazardous Waste	6" x 6"	63275	60453	60447
(F) Hazardous Waste	4" x 6"	63269	60451	60445



(A) Hazardous Waste



(B) New Jersey Specific









**HAZARDOUS** 


(F) Hazardous Waste

(C) California Specific

(D) Non-Regulated Waste

(E) Non-Hazardous Waste

# **Universal Waste Labels**



- Available in economical paper (best for indoor use) or durable vinyl
- Meet universal waste requirements, 40 CFR 273.14
- Standard package: 100 labels

Catalog Number	Description
60351	6" x 6" Vinyl
60362	6" x 6" Paper

Universal Waste Labels help you identify the contents of waste containers for disposal.

#### **Asbestos Labels**

- · Made of self-adhesive vinyl
- Available in two sizes: 4" x 4", and 6" x 6"
- Standard package: 100 labels

Catalog Number	Size
60240	4" x 4"
60242	6" x 6"

Asbestos Labels alert workers to hazards and eliminate any confusion.









#### Style G

- 6" x 6" - 60354 Vinyl 6" x 6" - 60365 Paper



#### Style H

- 6" x 6" - 60355 Vinvl Paper - 6" x 6" - 60366

- Use to easily identify and sort waste
- Available in B-933 self-sticking vinvl or B-235 economical paper
- Label size: 6" x 6"
- Choose from Standard Labels, if you want to write in your own information, or Custom Labels, if you would like us to pre-print them
- Standard package: 100 labels





#### Style I

Vinyl - 6" x 6" - 60356 Paper - 6" x 6" - 60367



#### Style J

Vinyl - 6" x 6" - 60357 Paper - 6" x 6" - 60368



#### Style K

Vinyl - 6" x 6" - 60358 Paper - 6" x 6" - 60369



Vinyl - 6" x 6" - 60353 Paper - 6" x 6" - 60364

# USED **ABSORBENTS**

Vinyl - 6" x 6" - 60359 Paper - 6" x 6" - 60370

# WASTE

Vinyl - 6" x 6" - 60361 Paper - 6" x 6" - 60374



Vinyl - 6" x 6" - 60360 Paper - 6" x 6" - 60371




Vinyl - 6" x 6" - 60352 Paper - 6" x 6" - 60363

# **PCB Markers**

- Use PCB warning labels and signs to satisfy EPA 40 CFR Part 761 Subpart C for identification of PCB contaminated equipment or to mark PCB waste
- Choose from five stock legends
- Available in three materials to meet your facility environment needs: B-120 indoor/outdoor fiberglass, B-448 indoor/outdoor flexible, or B-946 self-sticking vinyl
- Standard package for B-946 vinyl material: 50 Identical Markers



**EPA Reference 761.20(d)**B-946 - 2" x 2" - 87037
B-946 - 4" x 4" - 87039
B-946 - 6" x 6" - 87041



B-946 - 2" x 2" - 87046 B-946 - 4" x 4" - 87045

B-946 - 6" x 6" - 87044



#### EPA Reference 761.44(a)

B-120 - 6" x 6" - 87026 B-946 - 2" x 2" - 87033 B-946 - 4" x 4" - 87031 B-946 - 6" x 6" - 87028



EPA Reference 761.44(b) B-946 - 1" x 2" - 87029 (Supplied 9 per card)



B-946 - 1" x 2" - 87035 (Supplied 9 per card)



# **CUSTOM HAZARDOUS WASTE LABELS ORDER FORM**

Save time and eliminate errors with pre-printed hazardous waste labels personalized with all of your information. With pre-printed labels, all employees have to do is fill in the Accumulation Start Date and Manifest Document Number before applying labels to drum.

CST1058



MATERIAL (check one)

- ☐ Self-Sticking Vinyl (B-928)
- ☐ Economy Paper (B-235)





☐ Style A





☐ Style B



☐ Style C

	OTV	, .	500
4	QIT	(min.	. 500 per legend)

#### **FILL IN THE CUSTOM INFORMATION**

<b>GENERAL</b>	<b>INFOR</b>	<b>MATION</b>
----------------	--------------	---------------

Address: Phone: State: \_\_\_\_\_

#### **ADDITIONAL INFORMATION**

Include Distributor Billing Location and Shipping Location

#### **DISTRIBUTOR BILLING LOCATION**

Distributor Name Distributor Address P.O. Number \_\_\_\_\_\_ Contact Name

#### **SHIPPING LOCATION**

Your Name/Title \_\_\_\_\_ Company Name Address Attn. P.O. Number Ship via (FOB Milwaukee): • Overnight Air ☐ 2nd Day Air □ UPS □ Other

# **FAX to your Local Brady Distributor**



# **Confined Space Entry Permits & Holder**

#### Entry Permits

- Permit includes all information required by OSHA's Confined Space Regulation
- Select from three different materials to best meet your facility environment
- Standard package: pads of 25 permits

Catalog Number	Material
65936	20# Bond Paper
65937	2-Ply Carbonless
65938	Tyvek*

\*Tyvek - water and chemical resistant




**Entry Permit** 



#### ▶ Sign/Permit Holder

- Provides a confined space warning and easy access to permits
- Holds 8½" x 11" forms
- Made of durable polycarbonate material
- Holder dimensions: 12" x 19"
- Permits/forms sold separately





Sign/Permit Holder

# **Confined Space Poster**





# **▶** Confined Space Permit Center

- OSHA requires that entry permits be completed and authorized prior to entering confined spaces
- This center provides ready access to permits while making employees aware of special safety requirements
- · White acrylic unit is for wall mounting only
- Permits not included
- Center dimensions: 15<sup>3</sup>/<sub>4</sub>"H x 23<sup>1</sup>/<sub>2</sub>"W

Description	Catalog Number
Confined Space Permit Center	PC1
Entry Permits (25 pkg)	EP1

#### **▶** Confined Space Posters

- Poster reviews the most important steps entrants and attendants must follow when working in confined spaces
- Poster size: 24" x 18"

Catalog Number	Description
65952	Laminated
50344	Laminated





65952

#### **▶** Confined Space Training Program

- Program assists you in becoming compliant with the OSHA Permit-Required Confined Spaces
- Includes general introduction to confined spaces, overview of documentation, and what training is required
- Training on the four main areas, authorized entrant, entry supervisor, attendant and rescue and emergency services
- Includes: Training Video, Training Log, Awareness Poster, Entry Sign, Instructor's Guide, Rescue Services Evaluation Guide Booklet and 10 of each—Employee Booklets, Information Cards, Wallet Cards, Pre-entry Checklists and Certificates.

Description	Part
Confined Space Training Program	50343

#### Confined Space Floor Signs

- Made of lightweight, high-impact plastic
- 20" h x 12" w, with handle
- Signs are printed with same message on both sides







# **Confined Space**





- Tags meet OSHA Standard 1910.146 for identifying confined spaces
- Choose from two stock tag formats
- Available in three materials to meet every application and budget
- Standard package: 25 tags





**Front** 

Bac	k
-----	---

#### Danger Tag

Description	Catalog Number
(B-837) Heavy Duty Laminated Tag	65299
(B-851) Economy Polyester Tag	65270
(B-853) Cardstock Tag	65456



	Catalog
Description	Number
(B-837) Heavy-Duty Laminated Tag	66322
(B-851) Economy Polyester Tag	66324
(B-853) Cardstock Tag	65457





DANGER CONFINED **SPACE** WORKER IN CONFINED SPACE **Front** 







**Front** 

**Back** 





**Front** 

**Back** 



Front



Economy Polyester Tag (B851)	
Legend	Catalog Number
DANGER - Confined Space Entry In Progress	50282
DANGER - Confined Space Worker In Confined Space	50286
DANGER - Do Not Operate Worker In Confined Space	50290
Confined Space Inspection Tag	49227
Confined Space Entry Permit	49228

Reusable DuraTag™ (B852)	
Legend	Catalog Number
DANGER - Confined Space Entry In Progress	50248
DANGER - Confined Space Worker In Confined Space	50287
DANGER - Do Not Operate Worker In Confined Space	50291
Confined Space Inspection Tag	50275
Confined Space Entry Permit	49234

#### Ladder Barrier

- · Attach to your ladder to warn workers before they enter
- Hooks on rungs up to 21/4" wide
- Sign is over laminated and measures 101/4" x 101/4"
- · Made of polypropylene





#### Brady Manhole Cover

- The Manhole cover fits most standard manhole covers
- Visible only when cover is removed from confined space entry
- · Warning label is made of an overlaminated polyester (B-302)
- Available in 2 sizes and custom legends (see page 293)





Legend A



Legend B



Legend C



Legend D



Legend E



Legend F



Legend G



Legend H

Fits Inside Diameter 21" - 30" Max

Description	Part No.
Legend A	43747
Legend B	43748
Legend C	43752
Legend D	43753
Legend E	43754
Legend F	43758
Legend G	43759
Legend H	43760

Fits Inside Diameter 30.5" - 42" Max

Description	Part No.
Legend A	43768
Legend B	43770
Legend C	43771
Legend D	43778
Legend E	47196
Legend F	47197
Legend G	47198
Legend H	47204



# **CUSTOM MANHOLE COVERS**



	9	1	V
亼	<u>ا</u>	Ш	

# **CUSTOM MANHOLE WARNING BARRIER ORDER FORM**

1	FITS	INSIDE	DIAMETER
	1113	IIIJIDL	DIAMETER

- □ 21" 30"
- □ 30.5" 42"
- **HEADER** 
  - **DANGER**

  - WARNING
  - NOTICE
  - No Header





5 QUANTITY \_\_\_\_\_

# **LEGEND**

#### **DISTRIBUTOR BILLING LOCATION**

Distributor Name Distributor Address P.O. Number Contact Name Phone \_\_\_\_\_

#### SHIPPING LOCATION

Your Name/Title \_\_\_\_\_ Company Name Address \_\_\_\_\_ Attn. P.O. Number

Ship via (FOB Milwaukee): • Overnight Air • 2nd Day Air □ UPS □ Other

**FAX to your Local Brady Distributor** 





293

#### **Back Care Weight Range Labels**


- Paper Labels are 5" x 2"
- Available 500/roll or packs of 100













WEIGHT RANGE Specify your weight range here


**Customize It** 

Contact your local

**▶** Ergonomic Caution Labels

- Reduce injuries by reminding employees not to lift loads that are too heavy
- 6" x 6" paper labels available 100/pkg and 500/roll
- Also available in 10" x 10" self-stick polyester









Custom



#### **▶** Safe Lifting Tips Labels

- Reduce injuries and down time related to lifting by
- 6" x 6" paper labels available 100/pkg and 500/roll
- Also available in 10" x 10" self-stick polyester







92318 - 6" x 6" paper - 500/rl 92320 - 6" x 6" paper - 100/pkg 92322 - 10" x 10" self-stick polyester





#### Safe Lifting Technique

- Place on heavy packages to reinforce ergonomic training and reduce back injuries
- 6" x 6" paper labels available 100/pkg and 500/roll
- Also available in 10" x 10" self-stick polyester



92324 - 6" x 6" paper - 500/rl 92326 - 6" x 6" paper - 100/pkg 92328 - 10" x 10" self-stick polyester

#### Stock

#### Description 6" x 6" Paper 500/roll 6" x 6" Paper 100/pkg 10" x 10" Self-stick Polyester



Custom

#### Custom

Description
6" x 6" Paper 500/roll
6" x 6" Paper 100/pkg
10" x 10" Self-stick Polyester

